

Australia AU\$ Pricelist January 2022

Prices exclude GST and Freight Fees

SOLIS Semi-Micro Balances



Applications

- Weighing
- Parts counting
- · Percentage weighing
- Checkweighing
- Dynamic / animal weighing
- Accumulation
- · Density determination
- Display hold
- Formulation

Features

- High-resolution graphic display is amply sized for clear visibility
- Level indicator and adjustable feet ensure proper balance setup for optimum weighing results
- Security slot for optional Kensington-type lock and cable to help prevent theft
- · Large, grade 304 stainless steel pan allows swift cleaning
- RS-232 interface is available to provide speedy connection to computers and printers
- Case and draft shield designed to reduce static electrical interference with the balance
- External calibration allows for verification and adjustment with weights
- Selectable digital filtering helps minimize effects of vibration and disturbances
- · Security password control prevents unauthorized access
- Printouts include date and time for data tracking within Good Laboratory Practices (GLP) guidelines
- · Multilingual display permits use in various regions
- Memory accumulation totals results
- · Checkweighing with audible alarm
- Parts counting with preset sample sizes
- AC adapter included

Shipping weight & dimensions:

SAB125i: 9.16kg 53 x 39 x 53cm

SAB225i: 9kg 53 x 40 x 52cm

Model	Capacity	Readability	Pan Size	Price excl GST
Internal Calibra	tion			
SAB 125i	62g / 120g	0.01mg / 0.1mg	80mm Ø	\$5,692.50
SAB 225i	82g / 220g	0.01mg / 0.1mg	80mm Ø	\$6,767.75

SOLIS Analytical Balances



Applications

- Weighing
- Parts counting
- · Percentage weighing
- Checkweighing
- Dynamic / animal weighing
- Accumulation
- Density determination
- Display hold
- Formulation

Features

- · High-resolution graphic display is amply sized for clear visibility
- Level indicator and adjustable feet ensure proper balance setup for optimum weighing results
- Security slot for optional Kensington-type lock and cable to help prevent theft
- Large, grade 304 stainless steel pan allows swift cleaning
- RS-232 interface is available to provide speedy connection to computers and printers
- Case and draft shield designed to reduce static electrical interference with the balance
- External calibration allows for verification and adjustment with weights
- Selectable digital filtering helps minimize effects of vibration and disturbances
- Security password control prevents unauthorized access
- Printouts include date and time for data tracking within Good Laboratory Practices (GLP) guidelines
- Multilingual display permits use in various regions
- Memory accumulation totals results
- Checkweighing with audible alarm
- · Parts counting with preset sample sizes
- AC adapter included

Model Capacity Readability Pan Size Price excl GST

External Calibration							
Shipping weight & d	Shipping weight & dimensions: 8.86kg 53 x 39 x 53cm						
SAB 124e	120g	0.0001g	80mm Ø	\$3,036.00			
SAB 224e	220g	0.0001g	80mm Ø	\$3,225.75			
SAB 314e	310g	0.0001g	80mm Ø	\$3,668.50			
Internal Calibra	Internal Calibration						
Shipping weight & d	Shipping weight & dimensions: 9.38kg 53 x 39 x 53cm						
SAB 124i	120g	0.0001g	80mm Ø	\$3,415.50			
SAB 224i	220g	0.0001g	80mm Ø	\$3,605.25			
SAB 314i	310g	0.0001g	80mm Ø	\$4,048.00			
SAB 414i	410g	0.0001g	80mm Ø	\$5,692.50			
SAB 514i	510g	0.0001g	80mm Ø	\$6,957.50			

SOLIS Precision Balances





Applications

- Weighing
- Parts counting
- · Percentage weighing
- · Checkweighing
- · Dynamic / animal weighing
- Accumulation
- · Density determination
- Display hold
- Formulation

Features

- High-resolution graphic display is amply sized for clear visibility
- Level indicator and adjustable feet ensure proper balance setup for optimum weighing results
- Security slot for optional Kensington-type lock and cable to help prevent theft
- Large, grade 304 stainless steel pan allows swift cleaning
- RS-232 interface is available to provide speedy connection to computers and printers
- Case and draft shield designed to reduce static electrical interference with the balance
- External calibration allows for verification and adjustment with weights
- Selectable digital filtering helps minimize effects of vibration and disturbances
- Security password control prevents unauthorized access
- Printouts include date and time for data tracking within Good Laboratory Practices (GLP) guidelines
- Multilingual display permits use in various regions
- Memory accumulation totals results
- Checkweighing with audible alarm
- Parts counting with preset sample sizes
- AC adapter included

Shipping weight & dimensions:

SPB e / SPB i: 8.34kg 53 x 39 x 42cm STB e / STB i: 7.98kg 53 x 39 x 30cm

Capacity	Readability	Pan Size	Price excl GST	
External Calibration				
360g	0.001g	110mm Ø	\$1,771.00	
720g	0.001g	110mm Ø	\$2,277.00	
3200g	0.01g	190 x 190mm	\$1,771.00	
6200g	0.01g	190 x 190mm	\$2,277.00	
8200g	0.01g	190 x 190mm	\$2,909.50	
Internal Calibration				
360g	0.001g	110mm Ø	\$2,150.50	
720g	0.001g	110mm Ø	\$2,656.50	
1200g	0.001g	110mm Ø	\$4,048.00	
2100g	0.001g	110mm Ø	\$5,060.00	
3200g	0.01g	190 x 190mm	\$2,150.50	
6200g	0.01g	190 x 190mm	\$2,656.50	
	360g 720g 3200g 6200g 8200g tion 360g 720g 1200g 2100g 3200g	ation 360g 0.001g 720g 0.001g 3200g 0.01g 6200g 0.01g 8200g 0.01g tion 360g 0.001g 720g 0.001g 1200g 0.001g 2100g 0.001g 3200g 0.01g	ation 360g 0.001g 110mm Ø 720g 0.001g 110mm Ø 3200g 0.01g 190 x 190mm 6200g 0.01g 190 x 190mm 8200g 0.01g 190 x 190mm tion 360g 0.001g 110mm Ø 720g 0.001g 110mm Ø 1200g 0.001g 110mm Ø 2100g 0.001g 110mm Ø 3200g 0.01g 190 x 190mm	

Accessories	Price excl GST
3012014259 In-Use Cover for SAB	\$57.50
3012014260 In-Use Cover for SPB & STB	\$57.50
104008036 Anti-Vibration Table	\$1,489.25
1060014262 Density Kit	\$885.50
700100410 ABI-1 Ionizer	\$2,271.25
1120011156 ATP Adam Thermal Printer	\$569.25
3126011263 Thermal printer paper	\$17.25
3126011281 Thermal printer paper (pack of 10)	\$155.25
1120014641 AIP Printer	\$753.25

3126014659 Printer Roll 57mm for AIP	\$23.00
3126014660 Printer Roll 57mm (pack of 10) for AIP	\$155.25
3074010267 USB Cable	\$69.00
3014011014 RS232 Cable M-F	\$69.00
600002028 AdamDU data collection program	\$120.75
3014013041 Security Lock cable	\$86.25
700100398 E1 5g Calibration Weight	\$270.25
700100399 E1 10g Calibration Weight	\$304.75
700100400 E1 20g Calibration Weight	\$356.50
700100401 E1 50g Calibration Weight	\$408.25
700100022 E2 100g Calibration Weight for SAB124 models	\$149.50
700100023 E2 200g Calibration Weight for SAB224, 314, 414 and 514 models	\$184.00
700100012 F1 200g Calibration Weight for SPB363 models	\$109.25
700100008 F1 500g Calibration Weight for SPB723 models	\$155.25
700100009 F1 1kg Calibration Weight for SPB1203 and 2103 models	\$235.75
700100010 F1 2kg Calibration Weight for STB 3202 models	\$287.50
700100013 F1 5kg Calibration Weight for STB 6202 and 8202 models	\$540.50

SOLIS Precision Balances



Applications

- Weighing
- · Parts counting
- Percentage weighing
- Dynamic / animal weighing
- Density determination
- Checkweighing
- Check counting
- Net total weighing
- Display hold
- Peak hold

Features

- · Vivid, backlit LCD easily visible in any lighting conditions
- Colour-coded keys facilitate quick recognition of the most frequently used buttons
- Level indicator and adjustable feet ensure proper balance setup for optimum weighing results
- Security slot for optional Kensington-type lock and cable to help prevent theft
- Large, grade 304 stainless steel pan allows easy cleaning
- · Sealed keypad protects against dirt and spills
- USB and RS-232 interfaces provide speedy communication with computers and printers
- External calibration allows for verification and adjustment with weights
- Hold function freezes the displayed weight, allowing time to elapse without losing the result
- Multilingual display allows use in many different countries
- Parts counting with preset sample sizes
- Printouts include date and time for data tracking within Good
- Laboratory Practices (GLP) guidelines
- Selectable digital filtering for animal/dynamic weighing enables consistent results for moving subjects
- Auto power-off to save energy
- AC adapter included

Shipping weight & dimensions:

_ABe: 7.9kg, 52 x 38 x 52cm

ABi: 8.5kg, 52 x 38 x 52cm

LPB 223e & LPB 423e : 6.5kg, 52 x 38 x 40cm

LPB 223i & LPB 423i : 6.5kg, 52 x 38 x 40cm

LPB 623i : 8kg, 52 x 38 x 40cm

LPB 823e: 7.70kg, 52 x 38 x 40cm

_BB 12001 & LBB 15001 : 5.15kg, 52 x 38 x 28cm

LTB: 6.5kg, 52 x 38 x 28cm

Model	Capacity	Readability	Pan Size	Price excl GST	
External Calibration					
LAB 84e	80g	0.0001g	90mm Ø	\$2,070.00	
LAB 124e	120g	0.0001g	90mm Ø	\$2,127.50	
LAB 214e	210g	0.0001g	90mm Ø	\$2,242.50	
LAB 254e	250g	0.0001g	90mm Ø	\$2,415.00	
LPB 223e	220g	0.001g	120mm Ø	\$1,380.00	
LPB 423e	420g	0.001g	120mm Ø	\$1,495.00	
LPB 623e	620g	0.001g	120mm Ø	\$1,955.00	
LPB 823e	820g	0.001g	120mm Ø	\$2,242.50	
LTB 2602e	2600g	0.01g	185 x 185mm	\$1,380.00	
LTB 3602e	3600g	0.01g	185 x 185mm	\$1,552.50	
LTB 4602e	4600g	0.01g	185 x 185mm	\$1,667.50	
LTB 6002e	6000g	0.01g	185 x 185mm	\$1,897.50	

			_	
LBB 6001e	6000g	0.1g	185 x 185mm	\$1,207.50
LBB 8001e	8000g	0.1g	185 x 185mm	\$1,322.50
Internal Calibra	ation			
LAB 84i	80g	0.0001g	90mm Ø	\$2,300.00
LAB 124i	120g	0.0001g	90mm Ø	\$2,357.50
LAB 214i	210g	0.0001g	90mm Ø	\$2,472.50
LAB 254i	250g	0.0001g	90mm Ø	\$2,645.00
LPB 223i	220g	0.001g	120mm Ø	\$1,610.00
LPB 423i	420g	0.001g	120mm Ø	\$1,725.00
LPB 623i	620g	0.001g	120mm Ø	\$2,185.00
LPB 823i	820g	0.001g	120mm Ø	\$2,472.50
LTB 2602i	2600g	0.01g	185 x 185mm	\$1,610.00
LTB 3602i	3600g	0.01g	185 x 185mm	\$1,782.50
LTB 4602i	4600g	0.01g	185 x 185mm	\$1,897.50
LTB 6002i	6000g	0.01g	185 x 185mm	\$2,127.50

Accessories	Price excl GST
3012014259 In-Use Cover for LAB	\$57.50
3012014260 In-Use Cover for LPB, LTB, LBB	\$57.50
104008036 Anti-Vibration Table	\$1,489.25
1060015357 Density Kit for 0.1mg and 0.001g models	\$569.25
700100410 ABI-1 Ionizer	\$2,271.25
1120011156 ATP Adam Thermal Printer	\$569.25
3126011263 Thermal paper for ATP printer	\$17.25
3126011281 Thermal paper for ATP printer (pack of 10)	\$155.25
1120014641 AIP Printer	\$753.25
3126014659 Printer Roll 57mm for AIP	\$23.00
3126014660 Printer Roll 57mm (pack of 10) for AIP	\$155.25
3014011014 RS232 Cable	\$69.00
3074010267 USB Cable	\$69.00
600002028 AdamDU data collection program	\$120.75
3021210953 Weigh below hook	\$40.25
700100232 E2 50g Calibration weight for LAB84 models	\$120.75
700100022 E2 100g Calibration Weight for LAB124 models	\$149.50
700100023 E2 200g Calibration Weight for LAB214 and LAB254 models	\$184.00
700100007 F1 100g Calibration Weight for LPB223 models	\$92.00
700100012 F1 200g Calibration Weight for LPB423 models	\$109.25
700100008 F1 500g Calibration Weight for LPB623 and LPB823 models	\$155.25
700100010 F1 2kg Calibration Weight for LTB2602, 3602 and 4602 models	\$287.50
700100013 F1 5kg Calibration Weight for LTB6002, LBB6001 and LBB8001 models	\$540.50
700100209 2 x F1 5kg Calibration Weights for LBB12001 and LBB15001 models	\$1,081.00

Nimbus® Precision Balances





Applications

- Weighing
- Net / Total
- Check weighing
- Percentage weighing
- Weight accumulation
- Parts counting
- Animal / dynamic weighing
- Density determination
- Below balance weighing

Features

- Vivid, backlit LCD easily visible in any lighting conditions
- Colour-coded keys facilitate quick recognition of the most frequently used buttons. Level indicator and adjusting feet ensure proper balance setup for optimum weighing results
- Removable draught shield on models with 0.001g readability helps to reduce errors caused by air currents
- Robust metal housing protects internal components in harsh environments
- Sealed keypad protects against dirt and accidental spills
- USB and RS-232 interfaces provide speedy communication with computers and printers
- Large, grade 304 stainless steel pan allows easy cleaning
- External calibration allows for verification and adjustment with weights
- Printouts include date and time for data tracking within Good Laboratory Practices (GLP) guidelines
- Selectable digital filtering helps minimise effects of vibration and disturbances
- · Zero-tracking feature ensures display returns to zero reading
- Multilingual display allows use in many different countries
- AC adapter included

External Calibration

NBL22001p

NBL32001p

Shipping Weight: 400 x 300mm pan models - 8.5kg Dims: 53 x 45 x 20cm

Shipping Weight: Pillar models - 9.5kg Dims: 53 x 45 x 20cm

22000g

32000g

Model	Capacity	Readability	Pan Size	Price excl GST
NBL12001e	12000g	0.1g	400mm x 300mm	\$2,449.50
NBL16001e	16000g	0.1g	400mm x 300mm	\$2,708.25
NBL22001e	22000g	0.1g	400mm x 300mm	\$3,093.50
NBL32001e	32000g	0.1g	400mm x 300mm	\$3,605.25
Pillar Mounte	ed Displays			
NBL12001p	12000g	0.1g	400mm x 300mm	\$2,967.00
NBL16001p	16000g	0.1g	400mm x 300mm	\$3,220.00

0.1g

0.1g

Accessories	Price excl GST
3012013012 In-Use Cover	\$28.75
104008036 Anti-Vibration Table	\$1,489.25
1120011156 ATP Adam Thermal Printer	\$569.25
3126011263 Thermal printer paper	\$17.25
3126011281 Thermal printer paper (pack of 10)	\$155.25
1120014641 AIP Printer	\$753.25
3126014659 Printer Roll 57mm for AIP	\$23.00
3126014660 Printer Roll 57mm (pack of 10) for AIP	\$155.25
600002028 AdamDU data collection program	\$120.75
3014011014 RS232 Cable	\$69.00
3074010267 USB Cable	\$69.00
302126013 Weigh below hook	\$40.25

\$3,611.00

\$4,122.75

Highland® Portable Precision Balances



Applications

Weighing

400mm x 300mm

400mm x 300mm

- Percent weighing
- · Parts counting
- Totalisation
- Below Balance Weighing
- Weight Accumulation

Features

- RS-232 and USB interfaces
- Can be stacked for storage and transportation
- ShockProtect[™] overload protection
- Audible overload indicator
- HandiCal™ internal calibration for fast and accurate readings
- Lock down mounting slot for Kensington™ type lock and cable
- Dual tare keys, colour coded for easy recognition
- Rechargeable Battery and Mains Power with auto power off and low battery indicator
- Capacity tracker
- · Removable draught shield
- 15 Weighing units

Shipping Weight: 3kg Dims: 37 x 30 x 15cm (single)
Shipping Weight: 17kg Dims: 62 x 40 x 50cm (box of 6)
Hard Carry Case with Lock Only: 2.80kg 49 x 16 x 40cm

nara carry cace in	ara carry case min zeek criny. Zicong ite x re x recin				
Model	Capacity	Readability	Pan Size	Price excl GST	
HCB 123	120g	0.001g	120mm Ø	\$626.75	
HCB 153	150g	0.005g	120mm Ø	\$563.50	
HCB 302	300g	0.01g	120mm Ø	\$563.50	
HCB 602	600g	0.02g	120mm Ø	\$563.50	
HCB 602H	600g	0.01g	120mm Ø	\$603.75	
HCB 1002	1000g	0.01g	120mm Ø	\$667.00	
HCB 1502	1500g	0.05g	120mm Ø	\$563.50	
HCB 2202	2200g	0.01g	120mm Ø	\$822.25	
HCB 3001	3000g	0.1g	120mm Ø	\$563.50	
HCB 6001	6000g	0.1g	145mm Ø	\$626.75	

Accessories	Price excl GST
308232030 In-Use Cover	\$28.75

308232034 In-Use Cover Pack of 5	\$86.25
308232035 In-Use Cover Pack of 10	\$120.75
308002042 Hard Carry Case with Lock	\$161.00
700100046 Security Lock and Cable	\$46.00
1120011156 ATP Adam Thermal Printer	\$569.25

3126011263 Thermal printer paper	\$17.25
3126011281 Thermal printer paper (pack of 10)	\$155.25
1120014641 AIP Printer	\$753.25
3126014659 Printer Roll 57mm for AIP	\$23.00
3126014660 Printer Roll 57mm (pack of 10) for AIP	\$155.25
600002028 AdamDU - Data Collection Program	\$120.75
3074010266 RS-232 Cable	\$69.00
3074010267 USB Cable	\$69.00
700100007 F1 100g Calibration Weight for HCB 123	\$92.00
700100007 F1 100g Calibration Weight for HCB 153	\$92.00
700100012 F1 200g Calibration Weight for HCB 302	\$109.25
700100012 F1 200g Calibration Weight for HCB 602	\$109.25
700100012 F1 200g Calibration Weight for HCB 602H	\$109.25
700100009 F1 1kg Calibration Weight for HCB 1002 / 1502	\$235.75
700100010 F1 2kg Calibration Weight for HCB 2202 / 3001 / HCB6001	\$287.50

Core® Portable Compact Balances



Applications

- Weighing
- · Weight accumulation
- · Below balance weighing

Features

- Stainless steel pan
- · Three-point overload protection
- Security slot for Kensington™ type lock
- Colour-coded dual tare keys
- Battery power optional (6 x AA batteries) or AC adapter (Adaptor included) • 9 Weighing units
- · Auto power off to save battery life
- Large backlit display is clear and quick to read
- Removable draught shield on 120mmø pans only
- Stacking storage (CQT 202, 251, 601, & 1501 models)

Shipping Weight: 2kg Dims: 37 x 29 x 16cm (single)
Shipping Weight: 13kg Dims: 62 x 40 x 50cm (box of 6)
Hard Carry Case with Lock Only: 2.84kg 50 x 16 x 41cm

ara carry case min zeek criny. Zie mg				
Model	Capacity	Readability	Pan Size	Price excl GST
CQT 202	200g	0.01g	120mm Ø	\$379.50
CQT 251	250g	0.1g	120mm Ø	\$212.75
CQT 601	600g	0.1g	120mm Ø	\$247.25
CQT 1501	1500g	0.1g	120mm Ø	\$350.75
CQT 2601	2600g	0.1g	145mm Ø	\$402.50
CQT 2000	2000g	1g	145mm Ø	\$212.75
CQT 5000	5000g	1g	145mm Ø	\$235.75

Accessories	Price excl GST
308232033 In-Use Cover	\$28.75
308232036 In-Use Cover Pack of 5	\$86.25
308232037 In-Use Cover Pack of 10	\$120.75
308002042 Hard Carry Case with Lock	\$161.00
700100046 Security Lock and Cable	\$46.00
700100012 F1 200g Calibration Weight for CQT 202	\$109.25
700100072 M1 200g Calibration Weight for CQT 251	\$63.25
700100060 M1 500g Calibration Weight for CQT 601	\$97.75
700100029 M1 1kg Calibration Weight for CQT 1501	\$143.75
700100030 M1 2kg Calibration Weight for CQT 2000	\$184.00
700100030 M1 2kg Calibration Weight for CQT 2601	\$184.00
700100024 M1 5kg Calibration Weight for CQT 5000	\$396.75

Core® Portable Compact GRAIN Balances



Applications

- Weighing
- Weight accumulation
- Below balance weighing

Features

- Stainless steel pan
- Three-point overload protection
- Security slot for Kensington[™] type lock
- Colour-coded dual tare keys
- Battery power optional (6 x AA batteries) or AC adapter (Adaptor included)
- Weighing units g, kg/hL, lb/bu
- Auto power off to save battery life
- Large backlit display is clear and quick to read

Snipping weight:	2kg Dims: 36 x 29 x	. 14cm		
Hard Carry Case	with Lock Only: 2.80k	kg 49 x 40 x 16cm		
Model	Capacity	Readability	Pan Size	Price excl GST
CQT 1752GR	1750g	0.05g	145mm Ø	\$500.25

Accessories	Price excl GST
308232033 In-Use Cover	\$28.75
308232036 In-Use Cover Pack of 5	\$86.25
308232037 In-Use Cover Pack of 10	\$120.75
308002042 Hard Carry Case with Lock	\$161.00
700100046 Security Lock and Cable	\$46.00
700100029 M1 1kg Calibration Weight	\$143.75

PMB Moisture Analyzers



Applications

- Weighing
- Moisture Determination

Features

- RS-232 interface
- USB host for memory stick download USB I/O interface
- Built-in memories for storing products and settings
- 3 settings for heating sample, ramp up, step and standard
- Automatic test start setting for when the lid is closed
- Pan lifter to easily remove samples
- Large backlit display with dual text prompts
- Security locking slot for Kensington[™] type lock and cable
- Operation in English, French, Spanish and German
- Prints results in selected language
- Mains Power

Shipping Weight: 8kg Dims: 48 x 39 x 30cm

Model	Capacity	Readability	Pan Size	Price excl GST
PMB 53	50g	0.001g / 0.01%	90mm Ø	\$2,903.75
PMB 163	160g	0.001g / 0.01%	90mm Ø	\$3,536.25
PMB 202	200g	0.01g / 0.05%	90mm Ø	\$2,524.25

Accessories	Price excl GST
301208188 In-Use Cover	\$28.75
307140001 Disposable Aluminium Sample Pans (Pack of 250)	\$235.75
700100046 Security Lock and Cable	\$46.00
1120011156 ATP Adam Thermal Printer	\$569.25
3126011263 Thermal printer paper	\$17.25
3126011281 Thermal printer paper (pack of 10)	\$155.25
1120014641 AIP Printer	\$753.25
3126014659 Printer Roll 57mm for AIP	\$23.00
3126014660 Printer Roll 57mm (pack of 10) for AIP	\$155.25
600002028 AdamDU - Data Collection Program	\$120.75
1070010636 Temperature Calibration Kit	\$437.00
3074010267 USB Cable	\$69.00
3074010266 RS-232 Cable	\$69.00
3074010507 RS-232 to USB Interface Cable (must be ordered with 3074010266 RS232 cable)	\$69.00
700100014 F1 50g Calibration Weight for PMB 53	\$80.50
700100007 F1 100g Calibration Weight for PMB 163	\$92.00
700100012 F1 200g Calibration Weight for PMB 202	\$109.25

CBX Balances



Applications

- Weighing
- · Parts counting

Features

- · Weighs in g, N, Ib, oz
- Durable construction
- · Low-battery indicator
- Rechargeable Battery and Mains Power
- Operates from any USB power source
- Up to 216 hours operating battery time if fully charge.
- Automatic power-off saves battery life

Shipping Weight: 1kg Dims: 32 x 20 x 10cm (single)

Shipping Weight: 17.14kg Dims: 82 x 34 x 42cm (box of 16)

Model	Capacity	Readability	Pan Size	Price excl GST
CBX 1201	1200g	0.1g	148mm x 148mm	\$165.00
CBX 3001	3000g	0.5g	148mm x 148mm	\$140.00
CBX 6000	6000g	1g	148mm x 148mm	\$140.00

Accessories	Price excl GST
700100029 M1 2kg Calibration Weight for CBX 1201	\$184.00
700100060 M1 2kg Calibration Weight for CBX 3001	\$184.00
700100030 M1 5kg Calibration Weight for CBX 6000	\$396.75

Dune® Compact Balances



Applications

Weighing

Features

- Weighs in g, oz, lb
- Overload protection
- Splash-proof to protect from spills
- Durable construction
- Low-battery indicator
- 6xAA battery (optional) or AC adapter (adapter included)
- Automatic power-off saves battery life
- Removable draught shield standard on DCT302

Shipping Weight: Excl DCT302 - 1kg Dims: 31 x 19 x 9cm (single)

Shipping Weight: DCT302 - 1kg Dims: 26 x 17 x 12cm (single)

Shipping Weight: Excl DCT302 - 13kg Dims: 58 x 33 x 36cm (box of 12)

Shipping Weight: DCT302 - 13kg Dims: 54 x 37 x 38cm (box of 12)

Model	Capacity	Readability	Pan Size	Price excl GST
DCT 201	200g	0.1g	145mm x 145mm	\$126.50
DCT 302	300g	0.01g	100mm Ø	\$310.50
DCT 601	600g	0.1g	145mm x 145mm	\$184.00
DCT 2001	2000g	0.1g	145mm x 145mm	\$235.75
DCT 2000	2000g	1g	145mm x 145mm	\$126.50
DCT 5000	5000g	2g	145mm x 145mm	\$126.50

Accessories	Price excl GST
700100012 F1 200g Calibration Weight for DCT 201 & DCT 302	\$109.25
700100060 M1 500g Calibration Weight for DCT 601	\$97.75
700100030 M1 2kg Calibration Weight for DCT 2000 & DCT 2001	\$184.00
700100024 M1 5kg Calibration Weight for DCT 5000	\$396.75

CB Compact Balances



Applications

Weighing

Features

- Large high-contrast display, easily visible from a distance
- Large, grade 304 stainless steel pan allows easy cleaning
- Overload protection helps prevent damage to internal components
- Sealed keypad protects against dirt and accidental spills
- · Auto power-off to save energy
- 2 x AA Batteries Standard / Optional 6VDC 200mA Adapter

Shipping Weight: 1kg Dims: 23 x 19 x 8cm (single)

Shipping Weight: 10.5kg Dims: 69 x 39 x 26cm (box of 18)

Model	Capacity	Readability	Pan Size	Price excl GST
CB 501	500g	0.1g	130mm Ø	\$115.00
CB 1001	1000g	0.1g	130mm Ø	\$138.00
CB 3000	3000g	1g	130mm Ø	\$115.00

Accessories	Price excl GST
700230015 In-Use Cover for CB balances	\$28.75
700400121 6v DC 200mA Adaptor	\$40.25
700100060 M1 500g Calibration Weight for CB 501	\$97.75
700100029 M1 1kg Calibration Weight for CB 1001 & CB3000	\$143.75
700100030 M1 2kg Calibration Weight for CB 3000 (CB3000 uses 1x 1kg & 1x 2kg weights for calibration)	\$184.00

TBB Mechanical Balances



Applications

- Weighing
- Below balance weighing
- · Density of solids

Features

- Security slot for optional Kensington-type lock and cable
- Magnetic damping slows pointer movement for faster readings
- Notched, tiered, graduated beams ensure positive positioning and accurate reading of results
- Integrated rulers in centimeters and inches lets users measure length
- · Rigid metal construction for durability
- Zero adjust facility to enable zero reading
- Stainless steel weighing pan
- Weight holders for storing additional weights
- Tripod legs and weigh below hook included for density determination measurements
- Tare function capable of 225g with TBB 2610T

Shipping Weight: 4kg Dims: 56 x 18 x 24cm (single)
Shipping Weight: 17kg Dims: 57 x 39 x 50cm (box of 4)

Hard Carry Case with Lock Only: 3.36kg 58 x 23 x 29cm

Model	Capacity	Readability	Pan Size	Price excl GST
TBB 2610S	2610g	0.1g	150mm Ø	\$264.50
TBB 2610T	2610g	0.1g	150mm Ø	\$299.00

Accessories	
700100046 Security Lock and Cable	\$46.00
700100211 Hard Carry Case with Lock	\$161.00

MTB Baby and Toddler Scale



Applications

- Weighing
- · Baby Weighing / Toddler Weighing

Features

- Baby and Toddler Scale
- Cradle can be removed for weighing toddlers on the non-slip rubber mat
- Memory features can recall the last weight used allowing the user to focus on the baby or toddler
- High-contrast display is easily visible from a distance
- Ergonomic cradle provides comfortable support
- Lightweight design simplifies transport and portability
- Auto power-off to save energy
- External calibration allows for verification and adjustment with weights
- Simple operation allows quick startup and use with little or no training
- Operates with AC adapter (included) or batteries (not included)

Shipping Weight: 4.18kg Dims: 61 x 38 x 19cm

Shipping Weight: 13kg Dims: 62 x 56 x 40cm (box of 3)

Model	Capacity	Readability	Pan Size	Price excl GST
MTB 20	20kg	5g	285mm x 560mm	\$310.50

MDW 300L Digital BMI Physician Scale



Applications

- Weighing
- · Measuring height

Features

- Anti-slip platform
- Large, clear LED display
- Sealed Keypad
- Hold Function
- · Rechargeable Battery and Mains Power
- Robust painted mild steel base
- · Weighing in kg and lb
- Adjustable height rod (measures up to 210cm)
- Enhanced height rod
- BMI-Body Mass index
- Wheels for easy moving
- RS-232 Interface

Shipping Weight: 17kg Dims: 132 x 53 x 18cm

Model	Capacity	Readability	Pan Size	Price excl GST
MDW 300L	300kg	50g	275 x 375mm	\$753.25

MUW Ultrasonic BMI Health and Fitness Scale



Applications

- BMI-Body Mass Index Auto
 Calculation
- Weighing
- Measuring Height

Features

- Ultrasonic BMI Scale
- Ultrasonic sensor measures height up to 210cm and automatically calculates BMI
- Backlit LCD with 17mm-high digits shows height, weight and BMI on one screen
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- RS-232 interface for connection to computers and printers
- Printout can include a patient and doctor ID, as well as BMI measurements
- Integrated wheels permit easy movement
- Anti-slip platform ensures safety stepping on and off the scale
- Requires no manual adjustment, capturing all measurements with the push of a button.
- Patients and medical professionals are able to simultaneously view height, weight and BMI information on the large backlit LCD, eliminating the need to scroll through data
- Weighing units: kg, lb, lb:oz
- Power supply 12VDC 800mA adapter / Internal rechargeable battery included

Shipping Weight: 23.78kg Dims: 96 x 76 x 18cm

Model Capacity Readability Pan Size Price excl GST

MUW 300L 300kg 0.05kg 370 x 370mm \$1,742.25

CPWPlus L Veterinarian Scale



Applications

- Weighing
- Animal / Dynamic weighing

Features

- 4 Weighing units (kg, g, lb, oz)
- Remote indicator with wall mounting kit included
- Hold function
- Full range tare
- Zero Tracking
- External calibration
- Simple 4 button operation
- · Large backlit LCD display
- Large stainless steel platform
- Splashproof to protect from accidental spills
- Non-slip adjustable levelling feet
- Rechargeable Battery and Mains Power
- Four load cell construction
- Colour coded keys
- Modern low profile design
- RS-232 bi-directional interface
- Auto sleep / power down function to save battery life
- Low battery indication

Shipping Weight: 16kg Dims: 109 x 67 x 13cm

- 11 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 -				
Model	Capacity	Readability	Pan Size	Price excl GST
CPWplus 35L	35kg	10g	900mm x 600mm	\$833.75
CPWplus 75L	75kg	20g	900mm x 600mm	\$833.75
CPWplus 150L	150kg	50g	900mm x 600mm	\$833.75
CPWplus 200L	200kg	50g	900mm x 600mm	\$845.25
CPWplus 300L	300kg	100g	900mm x 600mm	\$856.75

Accessories	Price excl GST
1120011156 ATP Adam Thermal Printer	\$569.25
3126011263 Thermal printer paper	\$17.25
3126011281 Thermal printer paper (pack of 10)	\$155.25
1120014641 AIP Printer	\$753.25
3126014659 Printer Roll 57mm for AIP	\$23.00
3126014660 Printer Roll 57mm (pack of 10) for AIP	\$155.25
3074010507 RS-232 to USB Interface Cable (must be ordered with 3074010266 RS232 cable)	\$69.00
3074010266 RS-232 Cable	\$69.00
600002028 AdamDU - Data Collection Program	\$120.75
700200059 Rubber non-slip mat for CPWplus L	\$74.75

MTB Veterinarian Scale



Applications

- Weighing
- Animal / Dynamic Weighing

Features

- Animal Scale
- Cradle can be removed for weighing animals on the non-slip rubber mat
- Memory features can recall the last weight used
- High-contrast display is easily visible from a distance.
- Ergonomic cradle provides comfortable support
- Lightweight design simplifies transport and portability
- Auto power-off to save energy
- External calibration allows for verification and adjustment with weights
- Simple operation allows quick startup and use with little or no training
- Operates with AC adapter (included) or batteries (not included)

Shipping Weight: 4.18kg Dims: 61 x 38 x 19cm

Model	Capacity	Readability	Pan Size	Price excl GST
MTB 20	20kg	5g	285 x 560mm	\$310.50

Astro® Compact Scales



Applications

Weighing

Features

- Color-coded keys facilitate quick recognition of the most frequently used buttons
- Large, grade 304 stainless steel pan allows swift cleaning
- Adjustable leveling feet help optimize setup
- Overload protection helps prevent damage to internal components
- Rugged stainless steel construction for ultimate durability
- Solid, one-piece construction is lightweight and easy to clean
- Operates with AC adapter (included) or 2 x AAA batteries (not included)
- Auto power-off to save energy
- External calibration allows for verification and adjustment with weights
- Splash-proof housing, keypad and display mean easy cleaning
- Colored LCD displays green when weighing and red at overload

Shipping Weight: 1.73kg Dims: 34 x 21 x 12cm (single)

Shipping Weight: 11kg Dims: 65 x 36 x 25cm (box of 6)

Model	Capacity	Readability	Pan Size	Price excl GST
ASC 4000	4000g	0.5g	180mm x 160mm	\$212.75
ASC 8000	8000g	1g	180mm x 160mm	\$212.75

Latitude Compact Bench Scales



Applications

- Weighing
- Parts counting
- · Percentage weighing
- Checkweighing
- Display hold

Features

- Vivid, backlit LCD easily visible in any lighting condition
- Large, grade 304 stainless steel pan allows easy cleaning
- Level indicator and adjusting feet ensure proper balance setup for optimum weighing result
- Sealed keypad protects against dirt and spills
- Rechargeable Battery and Mains Power
- Operates from any USB power source
- Up to 240 hours operating battery time if fully charge
- Hold function freezes the display weight
- Checkweighing with audible alarm
- Overload protection helps prevent damage to internal components

Shipping Weight: 16kg Dims: 109 x 67 x 13cm

11 0 0 0				
Model	Capacity	Readability	Pan Size	Price excl GST
LBX 3	3000g	0.5g	245mm x 180mm	\$350.75
LBX 6	6000g	1g	245mm x 180mm	\$350.75
LBX 12	12kg	2g	245mm x 180mm	\$350.75
LBX 30	30kg	5g	245mm x 180mm	\$350.75

Accessories	
3022014061 In-Use Cover	\$28.75
2020014062 In-Use Cover Pack of 5	\$86.25
2020014063 In-Use Cover Pack of 10	\$120.75
3002014371 Hard Carry Case with Lock	\$184.00

Cruiser CKT Checkweighing Scales



Applications

- Weighing
- · Check weighing
- Percent weighing
- Accumulation of weight
- Parts counting
- Net total weighing
- Check counting

Features

- Backlit display changes color for quick notification of checkweighing limits
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- Large, grade 304 stainless steel pan allows swift cleaning
- RS-232 interface is available to provide speedy connection to computers and printers
- Optional USB interface simplifies data communication
- Sealed keypad protects against dirt and spills
- Solid ABS housing is durable for industrial use
- Adjustable leveling feet help optimize setup
- Drip channels help divert spills away from the scales internal components
- Checkweighing with audible alarm
- External calibration allows for verification and adjustment with weights
- Internal counting resolution 1:600,000 for precise results
- Parts counting optimization automatically refines piece weight as parts are added
- Parts counting with freely selectable sample sizes
- Preset tare function speeds the process of repetitive weighing
- Programmable auto power-off to save energy
- Rechargeable battery included for operation almost anywhere

Shipping Weight: 5.26kg Dims: 41 x 36 x 19cm (single)

Shipping Weight: 22.5kg Dims: 75 x 42 x 42cm (box of 4)

Hard Carry Case with Lock: 2.84kg 40 x 50 x 19cm

Model	Capacity	Readability	Pan Size	Price excl GST
CKT 4	4000g	0.1g	300mm x 210mm	\$626.75
CKT 8H	8000g	0.1g	300mm x 210mm	\$741.75
CKT 8	8000g	0.2g	300mm x 210mm	\$626.75
CKT 16	16kg	0.5g	300mm x 210mm	\$626.75
CKT 32	32kg	1g	300mm x 210mm	\$626.75
CKT 48	48kg	2g	300mm x 210mm	\$626.75
CKT 8UH	8kg	0.05g	300mm x 210mm	\$856.75
CKT 16UH	16kg	0.1g	300mm x 210mm	\$856.75
CKT 32UH	32kg	0.2g	300mm x 210mm	\$856.75
CKT 48UH	48kg	0.5g	300mm x 210mm	\$856.75

Accessories	Price excl GST
3022013911 In-Use Cover	\$28.75
2020013913 In-Use Cover Pack of 5	\$86.25
2020013914 In-Use Cover Pack of 10	\$120.75
1120011156 ATP Adam Thermal Printer	\$569.25
3126011263 Thermal printer paper	\$17.25
3126011281 Thermal printer paper (pack of 10)	\$155.25
1120014641 AIP Printer	\$753.25
3126014659 Printer Roll 57mm for AIP	\$23.00
3126014660 Printer Roll 57mm (pack of 10) for AIP	\$155.25
202000001 Weigh Below Hanger (factory fitted)	\$184.00
302013912 Hard Carry Case with Lock	\$184.00
3014011014 RS-232 Cable M-F	\$69.00
3074010507 RS-232 to USB Interface Cable	\$69.00
2020013915 USB Option	\$161.00
3074010267 USB Cable	\$69.00
600002028 AdamDU - Data Collection Program	\$120.75

Aqua Washdown Scales



Applications

- Weighing
- · Parts counting
- Percentage weighing
- Checkweighing

Features

- IP67-rated for protection against water and dust
- External calibration allows for verification and adjustment with weights
- Sealed keypad protects against dirt and spills
- Overload protection helps prevent damage to internal components
- Solid ABS housing is durable for industrial use
- · Heavy-duty rubber feet ensure stability of unit
- Bright LED display for easy viewing in most environments
- Checkweighing LEDs clearly show under, over and within acceptable limits
- Front and rear 20mm LED displays allow for dual use
- Zero-tracking feature ensures display returns to zero reading
- · The auto power-off feature conserves battery life
- Rechargeable battery included for operation almost anywhere
- Stabilization time of within 1 second
- AC adapter included

Shipping Weight: 3.6kg Dims: 35 x 31 x 18cm (single)

Hard Carry Case with Lock: 2.84kg 40 x 50 x 19cm

Model	Capacity	Readability	Pan Size	Price excl GST
ABW 4	4kg	0.5g	245mm x 180mm	\$475.00
ABW 8	8kg	1g	245mm x 180mm	\$475.00
ABW 16	16kg	2g	245mm x 180mm	\$475.00
ABW 32	32kg	5g	300mm x 210mm	\$495.00

Accessories	Price excl GST
3022014061 In-Use Cover	\$28.75
2020014062 In-Use Cover Pack of 5	\$86.25
2020014063 In-Use Cover Pack of 10	\$120.75
3002014371 Hard Carry Case with Lock	\$184.00

WBW Washdown Scales



Applications

- Weighing
- Check weighing
- Wash down
- Wet environments

Features

- EC & Australian trade approved (NMI)
- Sealed wash down rated to IP66 for wet environments
- Large backlit LCD display with capacity tracker to clearly see how much weighing
- · capacity is remaining
- Coloured LED Check limit indicators for visual check weighing - Red, green and orange
- Rechargeable Battery and Mains Power
- · Selectable auto power off to save battery life
- Stainless steel pan
- Adjustable level feet

Shipping Weight: 4kg Dims: 36 x 29 x 23cm

Model	Capacity	Readability	Pan Size	Price excl GST
WBW 3M	3000g	1g	210mm x 173mm	\$603.75
WBW 6M	6000g	2g	210mm x 173mm	\$603.75
WBW 15M	15Kg	5g	210mm x 173mm	\$603.75

Pricing exclude Trade Certification Fees

Accessories	Price excl GST
303209190 In-Use Cover	\$25.00
303200002 In-Use Cover Pack of 10	\$105.00
303200003 In-Use Cover Pack of 20	\$195.00
2020010755 Rear Display (factory fitted)	\$112.00



Applications

- Weighing
- Parts counting
- Percentage weighing
- Checkweighing
- Check counting
- Display hold

Features

- Backlit display changes colour for quick notification of checkweighing limits
- Colour-coded keys facilitate quick recognition of the most frequently used buttons
- · Heavy-duty rubber feet ensure stability of unit
- Large, grade 304 stainless steel pan allows easy cleaning
- · Rugged construction stands up to industrial use
- RS-232 interface is available to provide speedy connection to computers and printers
- External calibration allows for verification and adjustment with weights
- Hold function freezes the displayed weight, allowing time to elapse without losing the result
- · IP67 rated indicator for wash-down and dust protection
- Parts counting with preset sample sizes
- Preset tare function speeds the process of repetitive weighing
- Selectable digital filtering for animal/dynamic weighing enables consistent results for moving subject
- · Rechargeable battery included for operation almost anywhere
- Programmable auto power-off to save energy

Shipping weight & dimensions:

250mm x 250mm Pan Size: 8kg 62 x 31 x 18cm 300mm x 400mm Pan Size: 12kg 75 x 35 x 19cm 400mm x 500mm Pan Size: 16kg 88 x 50 x 21cm 450mm x 600mm Pan Size: 23kg 88 x 50 x 25cm

Model	Capacity	Readability	Pan Size	Price excl GST
GGS 8	8kg	0.2g	250mm x 250mm	\$1,385.75
GGS 16	16kg	0.5g	250mm x 250mm	\$1,385.75
GGS 35	35kg	1g	250mm x 250mm	\$1,385.75
GGB 35	35kg	1g	300mm x 400mm	\$1,512.25
GGB 75	75kg	2g	300mm x 400mm	\$1,512.25
GGF 75	75kg	2g	400mm x 500mm	\$1,765.25
GGF 75H	75kg	1g	400mm x 500mm	\$1,995.25
GGF 150	150kg	5g	400mm x 500mm	\$1,765.25
GGL 150	150kg	5g	450mm x 600mm	\$2,018.25
GGL 300	300kg	10g	450mm x 600mm	\$2,018.25

Accessories	Price excl GST
1120011156 ATP Adam Thermal Printer	\$569.25
3126011263 Thermal printer paper	\$17.25
3126011281 Thermal printer paper (pack of 10)	\$155.25
1120014641 AIP Printer	\$753.25
3126014659 Printer Roll 57mm for AIP	\$23.00
3126014660 Printer Roll 57mm (pack of 10) for AIP	\$155.25
3014012701 RS-232 Cable to PC	\$69.00
3074010507 RS-232 to USB adaptor	\$69.00
1100011297 Relay Box	\$247.25
600002028 Adam DU - Data Collection Program	\$120.75

AZextra Price Computing Retail Scales (Trade Approved)



Applications

- Trade Approved
 Weighing
- Retail Price Computing

Features

- Low profile design and robust construction
- Non-slip adjustable feet
- Front and rear backlit displays for operator and customer to see the total cost, unit price and weight
- Colour coded keys to quickly identify the most frequently used keys
- RS-232 Bi-directional interface for communication to printers and
- computers as well as integration into other systems
- Real time clock with date and time
- Unit price / kg can be entered through the full numeric keypad
- 103 product look up (PLU) memories to store a full range of products
- Auto clear function can be set to automatically clear the last unit price entry to help reduce miscalculation
- Rechargeable Battery and Mains Power
- Auto power off to save battery life
- Stainless steel weighing pan

Full tare range

EC & Australian trade approved (NMI)

Shipping Weight: 6kg Dims: 41 x 37 x 19cm (single)
Shipping Weight: P models - 6kg Dims: 57 x 39 x 20cm

Hard Carry Case with Lock Only: 3.65kg 49 x 45 x 20cm

Model	Capacity	Readability	Pan Size	Price excl GST
AZextra 3	3000g	1g	275mm x 225mm	\$500.25
AZextra 6	6000g	2g	275mm x 225mm	\$500.25
AZextra 15	15kg	5g	275mm x 225mm	\$500.25
AZextra 30	30kg	10g	275mm x 225mm	\$500.25
	<u>.</u>			
AZextra 3P	3000g	1g	275mm x 225mm	\$569.25
AZextra 6P	6000g	2g	275mm x 225mm	\$569.25
AZextra 15P	15kg	5g	275mm x 225mm	\$569.25
AZextra 30P	30kg	10g	275mm x 225mm	\$569.25

P version denotes that the scale comes with pillar display

Pricing exclude Trade Certification Fees

Accessories	Price excl GST
302205006 In-Use Cover	\$28.75
700200057 In-Use Cover Pack of 5	\$86.25
700200058 In-Use Cover Pack of 10	\$120.75
1120011156 ATP Adam Thermal Printer	\$569.25
3126011263 Thermal printer paper	\$17.25
3126011281 Thermal printer paper (pack of 10)	\$155.25
1120014641 AIP Printer	\$753.25
3126014659 Printer Roll 57mm for AIP	\$23.00
3126014660 Printer Roll 57mm (pack of 10) for AIP	\$155.25
302013912 Hard Carry Case with Lock	\$184.00
600002028 AdamDU - Data Collection Program	\$120.75
3074010507 RS-232 to USB Interface Cable (must be ordered with 3074010266 RS232 cable)	\$69.00
3074010266 RS-232 Cable	\$69.00

CPWplus Weighing Scales



Applications

- Weighing
- Animal / dynamic weighing

Features

- Stainless steel weighing pan with remote indicator
- Wall mounting kit included
- Large backlit LCD display
- Simple 4 button operation
- 6 x AA Batteries (optional) or AC Adaptor (Adaptor included)
- 4 Weighing units (kg,lb,oz,lb:oz)
- Hold function
- RS-232 Bi-directional interface

Shipping Weight: 5kg Dims: 48 x 39 x 12cm single

Shipping Weight: 21kg Dims: 50 x 41 x 50cm (box of 4)

Hard Carry Case with Lock Only: 2.94kg 56 x 39 x 51cm

Model	Capacity	Readability	Pan Size	Price excl GST
CPWplus 6	6kg	2g	300mm x 300mm	\$402.50
CPWplus 15	15kg	5g	300mm x 300mm	\$402.50
CPWplus 35	35kg	10g	300mm x 300mm	\$402.50
CPWplus 75	75kg	20g	300mm x 300mm	\$402.50
CPWplus 150	150kg	50g	300mm x 300mm	\$402.50
CPWplus 200	200kg	50g	300mm x 300mm	\$414.00

A/C Adaptor & RS232 included as standard

Accessories	Price excl GST
1120011156 ATP Adam Thermal Printer	\$569.25
3126011263 Thermal printer paper	\$17.25
3126011281 Thermal printer paper (pack of 10)	\$155.25
1120014641 AIP Printer	\$753.25
3126014659 Printer Roll 57mm for AIP	\$23.00
3126014660 Printer Roll 57mm (pack of 10) for AIP	\$155.25
700100099 Hard Carry Case with Lock	\$184.00
3074010266 RS-232 Cable	\$69.00

3074010507 RS-232 to USB Interface Cable (must be ordered with 3074010266 RS232 cable)	\$69.00
600002028 AdamDU - Data Collection Program	\$120.75

CPWplusP Weighing Scales (Pillar Version)



Applications

- Weighing
- Animal / dynamic weighing

Features

- Pillar display
- Stainless steel weighing pan with remote indicator
- Wall mounting kit included
- Large backlit LCD display
- Simple 4 button operation
- 6 x AA Batteries (optional) or AC Adaptor (Adaptor included)
- 4 Weighing units (kg,lb,oz,lb:oz)
- Hold function
- **RS-232 Bi-directional interface**

Shipping Weight: Scale only - 5kg Dims: 48 x 38 x 12cm

Shipping Weight: Pillar kit - 1kg Dims: 45 x 13 x 20cm

Model	Capacity	Readability	Pan Size	Price excl GST
CPWplus 6P	6kg	2g	300mm x 300mm	\$626.75
CPWplus 15P	15kg	5g	300mm x 300mm	\$626.75
CPWplus 35P	35kg	10g	300mm x 300mm	\$626.75
CPWplus 75P	75kg	20g	300mm x 300mm	\$626.75
CPWplus 150P	150kg	50g	300mm x 300mm	\$626.75
CPWplus 200P	200kg	50g	300mm x 300mm	\$644.00

Pillar Kit shipped seperately

Accessories	Price excl GST
1120011156 ATP Adam Thermal Printer	\$569.25
3126011263 Thermal printer paper	\$17.25
3126011281 Thermal printer paper (pack of 10)	\$155.25
1120014641 AIP Printer	\$753.25
3126014659 Printer Roll 57mm for AIP	\$23.00
3126014660 Printer Roll 57mm (pack of 10) for AIP	\$155.25
3074010266 RS-232 Cable	\$69.00
3074010507 RS-232 to USB Interface Cable (must be ordered with 3074010266 RS232 cable)	\$69.00
600002028 AdamDU - Data Collection Program	\$120.75

CPWplusW Weighing Scales (Wheel Version)



Applications

- Weighing
- Animal / dynamic weighing


Features

- 4 Weighing units (kg, g, lb, oz)
- Hold function
- Full range tare
- Zero Tracking
- **External calibration**
- Simple 4 button operation
- Large backlit LCD display
- Large stainless steel platform
- Handlebar frame and wheeled base for mobility
- Splashproof to protect from accidental spills Non-slip adjustable levelling feet
- Rechargeable Battery and Mains Power
- Four load cell construction
- Colour coded keys
- Modern low profile design
- RS-232 bi-directional interface
- Auto sleep / power down function to save battery
- Precision load cell technology
- Low battery indication

Shipping Weight: 14kg Dims: 106 x 56 x 14cm

Capacity	Readability	Pan Size	Price excl GST	
35kg	10g	500mm x 500mm	\$776.25	
75kg	20g	500mm x 500mm	\$776.25	
150kg	50g	500mm x 500mm	\$776.25	
200kg	50g	500mm x 500mm	\$787.75	
	35kg 75kg 150kg	35kg 10g 75kg 20g 150kg 50g	35kg 10g 500mm x 500mm 75kg 20g 500mm x 500mm 150kg 50g 500mm x 500mm	

CPWplusM Weighing Scales (Medium Base Version)



Applications

- Weighing
- Animal / dynamic weighing

Features

- 4 Weighing units (kg, g, lb, oz)
- Remote indicator with wall mounting kit included
- Hold function
- Full range tare
- Zero Tracking
- External calibration
- Simple 4 button operation
- · Large backlit LCD display
- · Large stainless steel platform
- · Splashproof to protect from accidental spills
- · Non-slip adjustable levelling feet
- Rechargeable Battery and Mains Power
- Four load cell construction
- Colour coded keys
- Modern low profile design
- · RS-232 bi-directional interface
- Auto sleep / power down function to save battery life
- Low battery indication

Shipping Weight: 10kg Dims: 58 x 56 x 12cm

Model	Capacity	Readability	Pan Size	Price excl GST
CPWplus 35M	35kg	10g	500mm x 500mm	\$603.75
CPWplus 75M	75kg	20g	500mm x 500mm	\$603.75
CPWplus 150M	150kg	50g	500mm x 500mm	\$603.75
CPWplus 200M	200kg	50g	500mm x 500mm	\$615.25

Accessories	Price excl GST
1120011156 ATP Adam Thermal Printer	\$569.25
3126011263 Thermal printer paper	\$17.25
3126011281 Thermal printer paper (pack of 10)	\$155.25
1120014641 AIP Printer	\$753.25
3126014659 Printer Roll 57mm for AIP	\$23.00
3126014660 Printer Roll 57mm (pack of 10) for AIP	\$155.25
3074010266 RS-232 Cable	\$69.00
3074010507 RS-232 to USB Interface Cable (must be ordered with 3074010266 RS232 cable)	\$69.00
600002028 AdamDU - Data Collection Program	\$120.75

CPWplusL Weighing Scales (Large Base Version)



Applications

- Weighing
- Animal / dynamic weighing

Features

- 4 Weighing units (kg, g, lb, oz)
- · Remote indicator with wall mounting kit included
- · Hold function
- Full range tare
- Zero Tracking
- External calibration
- Simple 4 button operation
- Large backlit LCD display
- Large stainless steel platform
- Splashproof to protect from accidental spills
- Non-slip adjustable levelling feet
- · Rechargeable Battery and Mains Power
- Four load cell construction
- · Colour coded keys
- Modern low profile design
- RS-232 bi-directional interface
- Auto sleep / power down function to save battery life
- Low battery indication

* Shipping Weight: 16kg Dims: 109 x 67 x 13cm *

Model	Capacity	Readability	Pan Size	Price excl GST
CPWplus 35L	35kg	10g	900mm x 600mm	\$833.75
CPWplus 75L	75kg	20g	900mm x 600mm	\$833.75
CPWplus 150L	150kg	50g	900mm x 600mm	\$833.75
CPWplus 200L	200kg	50g	900mm x 600mm	\$845.25
CPWplus 300L	300kg	100g	900mm x 600mm	\$856.75

1120011156 ATP Adam Thermal Printer 3126011263 Thermal printer paper 3126011281 Thermal printer paper (pack of 10) 1120014641 AIP Printer 3126014659 Printer Roll 57mm for AIP 3126014660 Printer Roll 57mm (pack of 10) for AIP 3074010507 RS-232 to USB Interface Cable (must be ordered with 3074010266 RS232 cable) 3074010266 RS-232 Cable 600002028 AdamDU - Data Collection Program	Price excl GST
3126011281 Thermal printer paper (pack of 10) 1120014641 AIP Printer 3126014659 Printer Roll 57mm for AIP 3126014660 Printer Roll 57mm (pack of 10) for AIP 3074010507 RS-232 to USB Interface Cable (must be ordered with 3074010266 RS232 cable) 3074010266 RS-232 Cable	\$569.25
1120014641 AIP Printer 3126014659 Printer Roll 57mm for AIP 3126014660 Printer Roll 57mm (pack of 10) for AIP 3074010507 RS-232 to USB Interface Cable (must be ordered with 3074010266 RS232 cable) 3074010266 RS-232 Cable	\$17.25
3126014659 Printer Roll 57mm for AIP 3126014660 Printer Roll 57mm (pack of 10) for AIP 3074010507 RS-232 to USB Interface Cable (must be ordered with 3074010266 RS232 cable) 3074010266 RS-232 Cable	\$155.25
3126014660 Printer Roll 57mm (pack of 10) for AIP 3074010507 RS-232 to USB Interface Cable (must be ordered with 3074010266 RS232 cable) 3074010266 RS-232 Cable	\$753.25
3074010507 RS-232 to USB Interface Cable (must be ordered with 3074010266 RS232 cable) 3074010266 RS-232 Cable	\$23.00
3074010266 RS-232 Cable	\$155.25
	\$69.00
600002028 AdamDLL - Data Collection Program	\$69.00
000002020 Adambo - Data Gollection i Togram	\$120.75
700200059 Rubber non-slip mat for CPWplus L	\$74.75

GBK Bench & Floor Checkweighing Scales



Applications

- Weighing
- Parts counting
- Check weighing
- · Check counting
- Dynamic/Animal weighing

Features

- · Weighs in g, kg
- RS-232 interface for communication with printers and computers
- Grade 304 stainless steel pan
- Automatic external calibration
- Solid metal construction
- Indicator, ABS plastic housing
- Pre-set tare
- · Automatic accumulation
- Hold function
- Large backlit LCD with capacity tracker
- Parts counting with freely selectable sample sizes
- Check weighing LED indicators
- Real-time clock and date
- Selectable multi-language text
- Automatic power-off saves battery life
- Rechargeable battery and Mains Power

Shipping Weight: 13kg Dims: 70 x 40 x 19cm

Model	Capacity	Readability	Pan Size	Price excl GST
GBK 8	8000g	0.1g	400mm x 300mm	\$862.50
GBK 16	16kg	0.5g	400mm x 300mm	\$747.50
GBK 32	32kg	1g	400mm x 300mm	\$747.50
GBK 60	60kg	2g	400mm x 300mm	\$747.50
GBK 120	120kg	5g	400mm x 300mm	\$747.50

Accessories	Price excl GST
3052010526 In-Use Cover	\$28.75
305200001 In-Use Cover (pack of 5)	\$86.25
305200002 In-Use Cover (pack of 10)	\$120.75
3051410045 Wall bracket for GK and GC indicators	\$21.85
1120011156 ATP Adam Thermal Printer	\$569.25
3126011263 Thermal printer paper	\$17.25
3126011281 Thermal printer paper (pack of 10)	\$155.25
1120014641 AIP Printer	\$753.25
3126014659 Printer Roll 57mm for AIP	\$23.00
3126014660 Printer Roll 57mm (pack of 10) for AIP	\$155.25
600002028 AdamDU - Data Collection Program	\$120.75

GBK-M Bench & Floor Checkweighing Scales (Trade Approved)



Applications

- Trade Approved Weighing
- · Parts counting
- Check weighing
- Check counting
- Dynamic/Animal weighing

Features

- EC & Australian type-approved
- Bi-directional RS-232 output for connection to computers and printers
- Automatic external calibration
- · Solid metal construction
- Grade 304 stainless steel pan
- Indicator, ABS plastic housing
- · Pre-set tare
- · Automatic accumulation
- Auto power off
- Hold function
- Capacity tracker
- Real time clock and date
- Selectable multi-language text
- LED indicator for check weighing
- Rechargeable battery and Mains Power

Shipping Weight: 13kg Dims: 71 x 43 x 17cm

Model	Capacity	Readability	Pan Size	Price excl GST
GBK 6M	6000g	2g	400mm x 300mm	\$891.25
GBK 15M	15kg	5g	400mm x 300mm	\$891.25
GBK 30M	30kg	10g	400mm x 300mm	\$891.25
GBK 60M	60kg	20g	400mm x 300mm	\$891.25
GBK 150M	150kg	50g	400mm x 300mm	\$891.25

Pricing exclude Trade Certification Fees

Accessories	Price excl GST
3052010526 In-Use Cover	\$28.75
305200001 In-Use Cover (pack of 5)	\$86.25
305200002 In-Use Cover (pack of 10)	\$120.75
3051410045 Wall bracket for GK and GC indicators	\$21.85
1120011156 ATP Adam Thermal Printer	\$569.25
3126011263 Thermal printer paper	\$17.25
3126011281 Thermal printer paper (pack of 10)	\$155.25
1120014641 AIP Printer	\$753.25
3126014659 Printer Roll 57mm for AIP	\$23.00
3126014660 Printer Roll 57mm (pack of 10) for AIP	\$155.25
600002028 AdamDU - Data Collection Program	\$120.75
3074010266 RS-232 Cable	\$69.00
3074010507 RS-232 to USB Interface Cable (must be ordered with 3074010266 RS232 cable)	\$69.00

BKT Bench and Floor Label Printing Checkweighing Scales



Applications

- Weighing
- Parts counting
- · Percentage weighing
- Checkweighing
- Dynamic / animal weighing
- Accumulation of weight
- Display hold
- Peak hold
- Barcode / label printing

Features

- Built in printer to print labels with weight, average piece weight, product description, date, time, and QR codes
- Vivid, backlit LCD easily visible in any lighting conditions
- Colour-coded keys facilitate quick recognition of the most frequently used buttons
- Level indicator and adjustable feet ensure proper balance setup for optimum weighing results
- Large, grade 304 stainless steel pan allows easy cleaning
- RS-232 interface is available to provide speedy connection to computers and printers
- Rugged construction stands up to industrial use
- Sealed keypad protects against dirt and spills
- Overload protection helps prevent damage to internal components
- Checkweighing with audible alarm and hold function
- Memory accumulation totals results
- Customise label information with software provided to include QR codes, date, time net, gross, tare weights etc...
- Selectable digital filtering helps minimise effects of vibration and disturbances
- Zero-tracking feature ensures display returns to zero reading
- Rechargeable battery included for operation almost anywhere
- Programmable auto power-off to save energy
- Fixed label size

Shipping weight & dimensions:

300mm x 400mm Pan Size: 10.12kg 70 x 43 x 17cm 400mm x 500mm Pan Size: 14.23kg 77 x 48 x 21cm

800mm x 600mm Pan Size: 33.41kg 18 x 67 x 22cm Indicator: 4kg 41 x 22 x 19cm

Capacity	Readability	Pan Size	Price excl GST
8kg	0.1g	300mm x 400mm	\$1,385.75
16kg	0.2g	300mm x 400mm	\$1,259.25
35kg	0.5g	300mm x 400mm	\$1,259.25
60kg	2g	300mm x 400mm	\$1,259.25
75kg	5g	400mm x 500mm	\$1,449.00
120kg	5g	300mm x 400mm	\$1,259.25
150kg	10g	400mm x 500mm	\$1,449.00
300kg	20g	400mm x 500mm	\$1,449.00
600kg	50g	800mm x 600mm	\$1,765.25
	8kg 16kg 35kg 60kg 75kg 120kg 150kg 300kg	8kg 0.1g 16kg 0.2g 35kg 0.5g 60kg 2g 75kg 5g 120kg 5g 150kg 10g 300kg 20g	8kg 0.1g 300mm x 400mm 16kg 0.2g 300mm x 400mm 35kg 0.5g 300mm x 400mm 60kg 2g 300mm x 400mm 75kg 5g 400mm x 500mm 120kg 5g 300mm x 400mm 150kg 10g 400mm x 500mm 300kg 20g 400mm x 500mm

Accessories	Price excl GST
3074010266 RS-232 cable (Null modem)	\$69.00
3074010507 RS-232 to USB adapter	\$69.00
600002028 Adam DU - Data Collection Program	\$120.75

GFK Floor Checkweighing Scales



Applications

- Weighing
- Parts counting
- Check weighing
- Check counting
- Dynamic/Animal weighing

Features

- · Weighs in g, kg
- RS-232 interface for communication with printers and computers
- Grade 304 stainless steel pan
- Automatic external calibration
- Solid metal construction
- · Indicator, ABS plastic housing
- Pre-set tare
- Automatic accumulation
- Hold function
- Large backlit LCD with capacity tracker
- Parts counting with freely selectable sample sizes
- Check weighing LED indicators
- Real-time clock and date
- Selectable multi-language text
- Automatic power-off saves battery life
- Rechargeable battery and Mains Power

Shipping Weight: 18kg Dims: 77 x 49 x 21cm

* Shipping Weight: 33kg Dims: 118 x 67 x 23cm (GFK600 model only) *

Shipping Weight: 48.50kg Dims: 130 x 80 x 36cm (GFK600 model only - if sent on a pallet)

Model	Capacity	Readability	Pan Size	Price excl GST
GFK 75	75kg	5g	500mm x 400mm	\$914.25
GFK 150	150kg	10g	500mm x 400mm	\$914.25
GFK 300	300kg	20g	500mm x 400mm	\$914.25
GFK 600	600kg	50g	800mm x 600mm	\$1,351.25
GFK 75H	75kg	1g	500mm x 400mm	\$1,351.25
GFK 150H	150kg	2g	500mm x 400mm	\$1,351.25

Accessories	Price excl GST
3052010526 In-Use Cover	\$28.75
305200001 In-Use Cover (pack of 5)	\$86.25
305200002 In-Use Cover (pack of 10)	\$120.75
3051410045 Wall bracket for GK and GC indicators	\$21.85
1120011156 ATP Adam Thermal Printer	\$569.25
3126011263 Thermal printer paper	\$17.25
3126011281 Thermal printer paper (pack of 10)	\$155.25
1120014641 AIP Printer	\$753.25
3126014659 Printer Roll 57mm for AIP	\$23.00
3126014660 Printer Roll 57mm (pack of 10) for AIP	\$155.25
600002028 AdamDU - Data Collection Program	\$120.75

GFK-M Floor Checkweighing Scales (Trade Approved)



Applications

- Trade Approved Weighing
- Parts counting
- Check weighing
- · Check counting
- Dynamic/Animal weighing

Features

- EC & Australian type-approved
- Bi-directional RS-232 output for connection to computers and printers
- Automatic external calibration
- Solid metal construction
- · Grade 304 stainless steel pan
- · Indicator, ABS plastic housing
- Pre-set tare
- Automatic accumulation
- Auto power off
 - Hold function
- Capacity tracker
- Real time clock and date
- Selectable multi-language text
- LED indicator for check weighing
- Rechargeable battery and Mains Power

Shipping Weight: 18kg Dims: 77 x 49 x 21cm

Model	Capacity	Readability	Pan Size	Price excl GST
GFK 60M	60kg	20g	500mm x 400mm	\$1,058.00
GFK 150M	150kg	50g	500mm x 400mm	\$1,058.00
GFK 300M	300kg	100g	500mm x 400mm	\$1,058.00

Pricing exclude Trade Certification Fees

Accessories	Price excl GST
3052010526 In-Use Cover	\$28.75
305200001 In-Use Cover (pack of 5)	\$86.25
305200002 In-Use Cover (pack of 10)	\$120.75
3051410045 Wall bracket for GK and GC indicators	\$21.85
1120011156 ATP Adam Thermal Printer	\$569.25
3126011263 Thermal printer paper	\$17.25
3126011281 Thermal printer paper (pack of 10)	\$155.25
1120014641 AIP Printer	\$753.25
3126014659 Printer Roll 57mm for AIP	\$23.00
3126014660 Printer Roll 57mm (pack of 10) for AIP	\$155.25
600002028 AdamDU - Data Collection Program	\$120.75
3074010266 RS-232 Cable	\$69.00
3074010507 RS-232 to USB Interface Cable (must be ordered with 3074010266 RS232 cable)	\$69.00

Cruiser CCT Bench Counting Scales



Applications

- Weighing
- Check weighing
- Parts counting
- · accumulating memory
- · pre-set count with alarm

Features

- Backlit LCD shows weight, unit weight and count in one convenient location
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- RS-232 interface is available to provide speedy connection to computers and printers
- Optional USB interface simplifies data communication
- Solid ABS housing is durable for industrial use
- Adjustable leveling feet help optimize setup
- Built-in memory for storing products and settings
- External calibration allows for verification and adjustment with weights
- Internal counting resolution 1:600,000 for precise results
- Parts counting optimization automatically refines piece weight as parts are added
- Parts counting with freely selectable sample sizes
- Preset tare function speeds the process of repetitive weighing
- Programmable for counting to a preset number of parts
- AC adapter included
- Programmable auto power-off to save energy
- Rechargeable battery included for operation almost anywhere

Shipping weight: 5.26kg Dims: 41 x 36 x 19cm (Single)

Shipping weight: 22.5kg Dims: 75 x 42 x 42cm (Box of 4)

Hard Carry Case with Lock: 2.84kg 40 x 19 x 50cm

Model	Capacity	Readability	Pan Size	Price excl GST
CCT 4	4000g	0.1g	300mm x 210mm	\$626.75
CCT 8	8000g	0.2g	300mm x 210mm	\$626.75
CCT 16	16kg	0.5g	300mm x 210mm	\$626.75

CCT 32	32kg	1g	300mm x 210mm	\$626.75
CCT 48	48kg	2g	300mm x 210mm	\$626.75
CCT 8UH	8000g	0.05g	300mm x 210mm	\$856.75
CCT 16UH	16Kg	0.1g	300mm x 210mm	\$856.75
CCT 32UH	32Kg	0.2g	300mm x 210mm	\$856.75
CCT 48UH	48kg	0.5g	300mm x 210mm	\$856.75

Accessories	Price excl GST
3022013911 In-Use Cover	\$28.75
2020013913 In-Use Cover Pack of 5	\$86.25
2020013914 In-Use Cover Pack of 10	\$120.75
302013912 Hard Carry Case with Lock	\$184.00
1120011156 ATP Adam Thermal Printer	\$569.25
3126011263 Thermal printer paper	\$17.25
3126011281 Thermal printer paper (pack of 10)	\$155.25
1120014641 AIP Printer	\$753.25
3126014659 Printer Roll 57mm for AIP	\$23.00
3126014660 Printer Roll 57mm (pack of 10) for AIP	\$155.25
202000001 Weigh Below Hanger (factory fitted)	\$184.00
3074010507 RS-232 to USB Interface Cable	\$69.00
2020013915 USB Option	\$161.00
600002028 AdamDU - Data Collection Program	\$120.75

BCT Bench and Floor Label Printing Counting Scales



Applications

- Weighing
- · Parts counting
- · Percentage weighing
- Checkweighing
- Dynamic / animal weighing
- Accumulation of weight
- Display hold
- Peak hold
- Barcode / label printing

Features

- Built in printer to print labels with weight, average piece weight, product description, date, time, and QR codes
- Vivid, backlit LCD easily visible in any lighting conditions
- Colour-coded keys facilitate quick recognition of the most frequently used buttons
- Level indicator and adjustable feet ensure proper balance setup for optimum weighing results
- Large, grade 304 stainless steel pan allows easy cleaning
- RS-232 interface is available to provide speedy connection to computers and printers
- Rugged construction stands up to industrial use
- Sealed keypad protects against dirt and spills
- Overload protection helps prevent damage to internal components
- Checkweighing with audible alarm and hold function
- Memory accumulation totals results
- Customise label information with software provided to include QR codes, date, time net, gross, tare weights etc...
- Selectable digital filtering helps minimise effects of vibration and disturbances
- Zero-tracking feature ensures display returns to zero reading
- · Rechargeable battery included for operation almost anywhere
- Programmable auto power-off to save energy
- Fixed label size

Shipping weight & dimensions:

300mm x 400mm Pan Size: 10.12kg 70 x 43 x 17cm 400mm x 500mm Pan Size: 14.23kg 77 x 48 x 21cm 800mm x 600mm Pan Size: 33.41kg 118 x 67 x 22cm

Indicator: 4kg 41 x 22 x 19cm

Model	Capacity	Readability	Pan Size	Price excl GST
BCT 8	8kg	0.1g	300mm x 400mm	\$1,454.75
BCT 16	16kg	0.2g	300mm x 400mm	\$1,328.25
BCT 32	35kg	0.5g	300mm x 400mm	\$1,328.25
BCT 60	60kg	2g	300mm x 400mm	\$1,328.25
BCT 120	120kg	5g	300mm x 400mm	\$1,328.25
BCT 75	75kg	5g	400mm x 500mm	\$1,518.00
BCT 150	150kg	10g	400mm x 500mm	\$1,518.00
BCT 300	300kg	20g	400mm x 500mm	\$1,518.00
BCT 600	600kg	50g	800mm x 600mm	\$1,834.25

Accessories Price excl GST

3074010266 RS-232 cable (Null modem)	\$69.00
3074010507 RS-232 to USB adapter	\$69.00
600002028 Adam DU - Data Collection Program	\$120.75

GFC Floor Counting Scales



Applications

- Weighing
- Parts counting
- Check counting
- Preset count alarm

Features

- Freely selectable sample size through keypad
- Bi-directional RS-232
- Backlit LCD display shows, weight, average piece weight and number of pieces counted.
- · Rechargeable Battery and Mains Power
- · Date and time
- Selectable multi-language text for printing
- · Preset counting to a value
- · Entry for average piece weight of an item to be counted

Shipping Weight: 18kg Dims: 77 x 49 x 21cm

Model	Capacity	Readability	Pan Size	Price excl GST
GFC 75	75kg	5g	500mm x 400mm	\$914.25
GFC 150	150kg	10g	500mm x 400mm	\$914.25
GFC 300	300kg	20g	500mm x 400mm	\$914.25

Accessories	Price excl GST
3052010526 In-Use Cover	\$28.75
305200001 In-Use Cover (pack of 5)	\$86.25
305200002 In-Use Cover (pack of 10)	\$120.75
1120011156 ATP Adam Thermal Printer	\$569.25
3126011263 Thermal printer paper	\$17.25
3126011281 Thermal printer paper (pack of 10)	\$155.25
1120014641 AIP Printer	\$753.25
3126014659 Printer Roll 57mm for AIP	\$23.00
3126014660 Printer Roll 57mm (pack of 10) for AIP	\$155.25
3074010266 RS-232 Cable	\$69.00
3074010507 RS-232 to USB Interface Cable (must be ordered with 3074010266 RS232 cable)	\$69.00
600002028 AdamDU - Data Collection Program	\$120.75

SHS Hanging Scales



Applications

Weighing

Features

- Bright LED display for easy viewing in most environments
- 360-degree rotating hook allows flexible handling of bulky or oversized objects
- · Remote control allows safe, hands-free operation
- Lightweight design simplifies transport and portability
- · Rugged construction stands up to industrial use
- Rechargeable Lithium battery or AA batteries
- Hold function freezes the displayed weight, allowing time to lapse without losing the result

Shipping Weight: SHS50 - 2kg Dims: 32 x 21 x 13cm

Shipping Weight: SHS150 & SHS300 - 2kg Dims: 32 x 21 x 13cm

- 11 3 - 3		9		
Model	Capacity	Readability	Pan Size	Price excl GST
SHS 50	50kg	0.01kg	-	\$569.25
SHS 150	150kg	0.02kg	-	\$569.25
SHS 300	300kg	0.05ka	-	\$569.25

LHS Hanging Scales



Applications

Weighing

Features

- Robust metal housing protects internal components in harsh environments
- Bright LED display for easy viewing in most environments
- 360-degree rotating hook allows flexible handling of bulky or oversized objects
- Remote control allows safe, hands-free operation
- · Lightweight design simplifies transport and portability
- · Programmable auto power-off to save energy
- Mains power supply or internal rechargeable battery
- Hold function freezes the displayed weight, allowing time to lapse without losing the result

Shipping Weight: LHS 500 - 6kg Dims: 46 x 36 x 19cm

Shipping Weight: LHS 1500 - 6kg Dims: 46 x 36 x 19cm
Shipping Weight: LHS 2000 - 6kg Dims: 46 x 36 x 19cm
Model Capacity Readability Pan Size Price

Model	Capacity	Readability	Pan Size	Price excl GST
LHS 500	500kg	0.1kg	i	\$753.25
LHS 1500	1500kg	0.2kg	-	\$816.50
LHS 2000	2000kg	0.5kg	·	\$1,006.25

IHS Hanging Scales



Applications

Weighing

Features

- · Bright LED display for easy viewing in most environments
- · 360-degree rotating hook allows flexible handling of bulky or oversized objects
- Remote control allows safe, hands-free operation
- · Robust metal housing protects internal components in harsh environments
- Rugged construction stands up to industrial use
- · Rechargeable Battery and Mains Power
- Auto power-off to save energy
- Hold function freezes the displayed weight, allowing time to lapse without losing the result

Shipping Weight: 15kg Dims: 66 x 37 x 30cm (IHS 1)

Shipping Weight: 16kg Dims: 66 x 37 x 30cm (IHS 3)
Shipping Weight: 21kg Dims: 67 x 37 x 30cm (IHS 5)

Shipping Weight: 36kg Dims: 76 x 40 x 32cm (IHS 10) *

- 11 3 - 3 - 3	- 11 3 -3 3 ()				
Model	Capacity	Readability	Pan Size	Price excl GST	
IHS 1	1000kg	0.2kg	-	\$1,374.25	
IHS 3	3000kg	0.5kg	-	\$1,489.25	
IHS 5	5000kg	1kg	-	\$1,719.25	
IHS 10	10,000kg	2kg	-	\$2,179.25	

PT Heavy Duty Platform Scale Excluding Indicator



Applications

- Weighing
- Parts counting
- · Percentage weighing
- Checkweighing
- Checkcounting
- · Dynamic / animal weighing

Features

- Rugged construction stands up to industrial use
- · Chequered plate surface for added grip
- Approximately three-meter shielded cable
- Four load cell construction
- Overload protection
- Mild steel construction
- Compatible with GK, GC, AE503 and AE504 indicators

Shipping Weight: PT Base - 135kg Dims: 125 x 125 x 20cm base only (shipped on pallet, excl indicator)

Model	Capacity	Readability	Pan Size	Price excl GST
PT 112	1000kg	0.2kg	1.2m x 1.2m	\$1,930.50
PT 312	3000kg	0.5kg	1.2m x 1.2m	\$1,930.50

PT Heavy Duty Platform Scale Including GK Indicator



Features

- · Rugged construction stands up to industrial use
- Chequered plate surface for added grip
- · Approximately three-meter shielded cable
- · Four load cell construction
- · Overload protection
- · Mild steel construction
- Mains and Rechargeable Battery Power
- Full tare range
- · Large backlit LCD display with capacity tracker
- Mains and Rechargeable Battery Power
- · Parts counting with freely selectable sample sizes
- · Check weighing LED lights to show acceptable limits
- Automatic accumulation
- · Bi-directional RS-232 output for connection to computers and printers
- Wall mount bracket included

Shipping Weight: PT Base - 135kg Dims: 125 x 125 x 20cm base only (shipped on pallet, excl indicator)

Shipping Weight: GK Indicator - 3kg Dims: 30 x 23 x 22cm

Model Capacity Readability Pan Size Price excl GST

PT 112	1000kg	0.2kg	1.2m x 1.2m	\$2,304.25
PT 312	3000kg	0.5kg	1.2m x 1.2m	\$2,304.25

PT Heavy Duty Platform Scale Including AE503 Label Printing Indicator



Enaturas

- · Rugged construction stands up to industrial use
- Chequered plate surface for added grip
- · Approximately three-meter shielded cable
- · Four load cell construction
- Overload protection
- Mild steel construction
- Built in printer to print weight, date, time, description etc...
- Vivid, backlit LCD easily visible in any lighting conditions
- Programmable backlight can be set to "always on," "always off" or "light only when weighing" • Color-coded keys facilitate quick recognition of the most frequently used buttons
- Bi-directional RS-232 output for connection to computers and printers
- Zero-tracking feature ensures display returns to zero reading
- Checkweighing with audible alarm and hold function
- Quick and easy configuration using the keypad
- User-selectable scale division
- Mains and Rechargeable Battery Power
- Programmable auto power-off to save energy
- Customise label information with software provided to include QR codes, date, time, net, gross, tare weights, etc...
- Fixed label size

Shipping Weight: PT Base - 135kg Dims: 125 x 125 x 20cm base only (shipped on pallet, excl indicator)

Shipping Weight: AE503 Label Printing Indicator - 4kg 41 x 22 x 19cm

Model	Capacity	Readability	Pan Size	Price excl GST
PT 112	1000kg	0.2kg	1.2m x 1.2m	\$2,597.50
PT 312	3000ka	0.5kg	1.2m x 1.2m	\$2,597.50

PT Heavy Duty Platform Scale Including AE504 Label Printing Counting Indicator



Features

- Rugged construction stands up to industrial use
- Chequered plate surface for added grip
- · Approximately three-meter shielded cable
- Four load cell construction
- Overload protection
- Mild steel construction
- Simple user-friendly operation
- Lightweight with wheels and handles for portability
- Low profile beams make pallet weighing easy with pallet trucks
- Two beams per set
- · Large, clear backlit LCD display
- Selectable digital filtering
- · Bi-directional RS-232 output for connection to computers and printers
- . Mains and Rechargeable Battery Power
- Four loadcell construction
- · Built in printer to print weight, date, time, description etc...
- Vivid, backlit LCD easily visible in any lighting conditions
- Programmable backlight can be set to "always on," "always off" or "light only when weighing" • Color-coded keys facilitate quick recognition of the most frequently used buttons
- · Zero-tracking feature ensures display returns to zero reading
- Checkweighing with audible alarm and hold function
- Quick and easy configuration using the keypad
- Programmable auto power-off to save energy
- Customise label information with software provided to include QR codes, date, time, net, gross, tare weights, etc...
- Fixed label size

Shipping Weight: PT Base - 135kg Dims: 125 x 125 x 20cm base only (shipped on pallet, excl indicator)

Shipping Weight: AE504 Label Printing Indicator - 4kg 41 x 22 x 19cm

		-		
Model	Capacity	Readability	Pan Size	Price excl GST
PT 112	1000kg	0.2kg	1.2m x 1.2m	\$2,683.75
PT 312	3000kg	0.5kg	1.2m x 1.2m	\$2,683.75

AELP Heavy Duty Pallet Weighing Beams Excluding Indicator



Applications

- Weighing
- Parts counting
- · Percentage weighing
- Checkweighing
- Checkcounting
- Dynamic / animal weighing

Features

- · Simple user-friendly operation
- · Lightweight with wheels and handles for portability
- Low profile beams make pallet weighing easy with pallet trucks
- Supplied complete with the GK indicator
- Two beams per set
- · Large, clear backlit LCD display
- · Selectable digital filtering
- RS-232 uni-directional interface
- . Mains and Rechargeable Battery Power
- · Four loadcell construction
- Compatible with GK, GC, AE503 and AE504 indicators

Shipping Weight: Beams - 36kg Dims: 140 x 35 x 16cm (Excl indicator)

Shipping Weight: Beams - 48kg Dims: 138 x 80 x 30cm base only (shipped on pallet, excl indicator)

Model	Capacity	Readability	Pan Size	Price excl GST
AELP 1000	1000kg	0.2kg	1250mm x 80mm	\$1,368.75
AELP 2000	2000kg	0.5kg	1250mm x 80mm	\$1,368.75

AELP Heavy Duty Pallet Weighing Beams Including GK Indicator



Features

- · Simple user-friendly operation
- Lightweight with wheels and handles for portability
- Low profile beams make pallet weighing easy with pallet trucks
- Two beams per set
- Large, clear backlit LCD display
- · Selectable digital filtering
- · Bi-directional RS-232 output for connection to computers and printers
- Four loadcell construction
- Full tare range
- Large backlit LCD display with capacity tracker
- Mains and Rechargeable Battery Power
- Parts counting with freely selectable sample sizes
- Check weighing LED lights to show acceptable limits
- Automatic accumulation
- Wall mount bracket included

Shipping Weight: Beams - 36kg Dims: 140 x 35 x 16cm (Excl indicator)

Shipping Weight: Beams - 48kg Dims: 138 x 80 x 30cm base only (shipped on pallet, excl indicator)

Shipping Weight: GK Indicator - 3kg Dims: 30 x 23 x 22cm

Model	Capacity	Readability	Pan Size	Price excl GST
AELP 1000	1000kg	0.2kg	1250mm x 80mm	\$1,742.50
AELP 2000	2000kg	0.5kg	1250mm x 80mm	\$1,742.50

AELP Heavy Duty Pallet Weighing Beams Including AE503 Label Printing Indicator



Features

- Simple user-friendly operation
- Lightweight with wheels and handles for portability
- Low profile beams make pallet weighing easy with pallet trucks
- Two beams per set
- Large, clear backlit LCD display
- Selectable digital filtering
- Bi-directional RS-232 output for connection to computers and printers
- Mains and Rechargeable Battery Power
- Four loadcell construction
- Built in printer to print weight, date, time, description etc...
- Vivid, backlit LCD easily visible in any lighting conditions
- Programmable backlight can be set to "always on," "always off" or "light only when weighing"
 Color-coded keys facilitate quick recognition of the most frequently used buttons
- Rugged construction stands up to industrial use
- Zero-tracking feature ensures display returns to zero reading
- Checkweighing with audible alarm and hold function
- Quick and easy configuration using the keypad
- Programmable auto power-off to save energy
- Customise label information with software provided to include QR codes, date, time, net, gross, tare weights, etc...
- Fixed label size

Shipping Weight: Beams - 36kg Dims: 140 x 35 x 16cm (Excl indicator)

Shipping Weight: Beams - 48kg Dims: 138 x 80 x 30cm base only (shipped on pallet, excl indicator)

Shipping Weight: AE503 Label Printing Indicator - 4kg 41 x 22 x 19cm

Model	Capacity	Readability	Pan Size	Price excl GST
AELP 1000	1000kg	0.2kg	1250mm x 80mm	\$2,035.75
AELP 2000	2000kg	0.5kg	1250mm x 80mm	\$2,035.75

AELP Heavy Duty Pallet Weighing Beams Including AE504 Label Printing Counting Indicator



Features

- Simple user-friendly operation
- Lightweight with wheels and handles for portability
- Low profile beams make pallet weighing easy with pallet trucks
- Two beams per set
- Large, clear backlit LCD display
- Selectable digital filtering
- Mains and Rechargeable Battery Power
- Four loadcell construction
- Built in printer to print labels with weight, average piece weight, count, product description, date, time, and QR codes
- Vivid, backlit LCD easily visible in any lighting conditions
- Programmable backlight can be set to "always on," "always off" or "light only when weighing" • Color-coded keys facilitate quick recognition of the most frequently used buttons
- RS-232 interface is available to provide speedy connection to computers and printers
- · Rugged construction stands up to industrial use
- Zero-tracking feature ensures display returns to zero reading
- Parts counting optimization automatically refines piece weight as parts are added
- Quick and easy configuration using the keypad
- · Programmable auto power-off to save energy
- Full keyboard for advanced counting and includes 1006 PLU memories
- · Customise label information with software provided
- Fixed label size

Shipping Weight: Beams - 36kg Dims: 140 x 35 x 16cm (Excl indicator)

Shipping Weight: Beams - 48kg Dims: 138 x 80 x 30cm base only (shipped on pallet, excl indicator)

Shipping Weight: AE504 Label Printing Indicator - 4kg 41 x 22 x 19cm

Model	Capacity	Readability	Pan Size	Price excl GST
AELP 1000	1000kg	0.2kg	1250mm x 80mm	\$2,122.00
AELP 2000	2000kg	0.5kg	1250mm x 80mm	\$2,122.00

Accessories	Price excl GST
3052010526 In-Use Cover for GK	\$28.75
2050013351 Indicator Stand	\$287.50
1120011156 ATP Adam Thermal Printer	\$569.25
3126011263 Thermal printer paper	\$17.25
3126011281 Thermal printer paper (pack of 10)	\$155.25
1120014641 AIP Printer	\$753.25
3126014659 Printer Roll 57mm for AIP	\$23.00
3126014660 Printer Roll 57mm (pack of 10) for AIP	\$155.25
600002028 AdamDU - Data Collection Program	\$120.75
3074010266 RS-232 Cable	\$69.00
3074010507 RS-232 to USB Interface Cable (must be ordered with 3074010266 RS232 cable)	\$69.00



Applications

- Weighing
- Accumulation
- · Percentage weighing
- Checkweighing
- Dynamic / animal weighing

Features

- PTS includes the AE403 indicator which is IP67-Rated for protection against water and dust
- PTT includes the AE503 indicator which comes standard with a Built-in label printer
- Vivid, backlit LCD easily visible in any lighting conditions
- Programmable backlight can be set to "always on,"
- "always off" or "light only when weighing"
- Capacity tracker built into display for easily monitoring possible overloads
- Checkweighing LEDs light to clearly show under, over and acceptable limits
- · Solid non-marring polyurethane wheels
- Colour-coded keys facilitate quick recognition of the most frequently used buttons
- · RS-232 interface for connection to computers and printers
- Wheels swivel, allowing easy movement
- · Audible overload alarm warns when capacity has been exceeded
- Checkweighing with audible alarm
- External calibration allows for verification and adjustment with weights
- Parts counting with preset sample sizes
- Selectable digital filtering for animal/dynamic weighingdelivers stable results for moving subjects
- Zero-tracking feature ensures display returns to zero reading
- Rechargeable battery included for operation almost anywhere
- Programmable auto power-off to save energy

Shipping weight & dimensions: 152kg, 163 x 61 x 66cm (shipped in crate)

Model	Capacity	Readability	Fork Size	Price excl GST
PTSplus 2000	2000kg	0.5kg	1150mm x 160mm	\$3,503.50
PTT 2000	2000kg	0.5kg	1150mm x 160mm	\$4,160.00

GK Indicator



Applications

- Weighing
- Parts counting
- Percentage weighing
- Animal/dynamic weighing
- · Check weighing
- Check counting

Features

- Full tare range
- Large backlit LCD display with capacity tracker
- · Mains and Rechargeable Battery Power
- Parts counting with freely selectable sample sizes
- · Check weighing LED lights to show acceptable limits
- Automatic accumulation
- Bi-directional RS-232 output for connection to computers and printers
- Wall mount bracket included

Shipping Weight Indicator: 3kg Dims: 30 x 23 x 22cm

Shipping Weight Stand: 3kg Dims: 97 x 16 x 3cm

Model	Capacity	Readability	Pan Size	Price excl GST
GK	Selectable	Selectable	-	\$373.75

Accessories	Price excl GST
3052010526 In-Use Cover	\$28.75
305200001 In-Use Cover (pack of 5)	\$86.25
305200002 In-Use Cover (pack of 10)	\$120.75
2050013351 Indicator Stand	\$287.50
1120011156 ATP Adam Thermal Printer	\$569.25
3126011263 Thermal printer paper	\$17.25
3126011281 Thermal printer paper (pack of 10)	\$155.25
1120014641 AIP Printer	\$753.25
3126014659 Printer Roll 57mm for AIP	\$23.00
3126014660 Printer Roll 57mm (pack of 10) for AIP	\$155.25
600002028 AdamDU - Data Collection Program	\$120.75
3074010266 RS-232 Cable	\$69.00
3074010507 RS-232 to USB Interface Cable (must be ordered with 3074010266 RS232 cable)	\$69.00

GK-M Indicator (Trade Approved)



Applications

- Weighing
- Parts counting
- Percentage weighing
- · Animal/dynamic weighing
- Check weighing
- Check counting

Features

- Full tare range
- Accessible internal Rechargeable Battery
- Large backlit LCD display with capacity tracker
- · Mains and Rechargeable Battery
- Parts counting with freely selectable sample sizes
- Check weighing LED lights to show acceptable limits
- Automatic accumulation
- Bi-directional RS-232 output for connection to computers and printers
- Wall mount bracket included
- · EC & Australian type-approved

Shipping Weight Indicator: 3kg Dims: 30 x 23 x 22cm

Shipping Weight Stand: 3kg Dims: 97 x 16 x 3cm

Model	Capacity	Readability	Pan Size	Price excl GST
GK-M	Selectable	Selectable	-	\$437.00

Accessories	Price excl GST
3052010526 In-Use Cover	\$28.75
305200001 In-Use Cover (pack of 5)	\$86.25
305200002 In-Use Cover (pack of 10)	\$120.75
2050013351 Indicator Stand	\$287.50
1120011156 ATP Adam Thermal Printer	\$569.25
3126011263 Thermal printer paper	\$17.25
3126011281 Thermal printer paper (pack of 10)	\$155.25
1120014641 AIP Printer	\$753.25
3126014659 Printer Roll 57mm for AIP	\$23.00
3126014660 Printer Roll 57mm (pack of 10) for AIP	\$155.25
600002028 AdamDU - Data Collection Program	\$120.75
3074010266 RS-232 Cable	\$69.00
3074010507 RS-232 to USB Interface Cable (must be ordered with 3074010266 RS232 cable)	\$69.00

GC Counting Indicator



Applications

- Accumulation
- Weighing
- · Check weighing
- Parts counting
- · Animal / dynamic weighing
- Percentage weighing

Features

- Large backlit LCD
- Colour coded keys
- Mains and Rechargeable Battery Power
- Bi-directional RS-232 interface
- Bracket for wall mounting
- Hold function
- Stainless steel housing
- Check weighing LED lights
 - Capacity tracker

Shipping Weight Indicator: 3kg Dims: 30 x 23 x 22cm

Shipping Weight Stand: 3kg Dims: 97 x 16 x 3cm

Model	Capacity	Readability	Pan Size	Price excl GST
GC	Selectable	Selectable	-	\$373.75

Accessories	Price excl GS1
3052010526 In-Use Cover	\$28.75
305200001 In-Use Cover (pack of 5)	\$86.25
305200002 In-Use Cover (pack of 10)	\$120.75
2050013351 Indicator Stand	\$287.50
1120011156 ATP Adam Thermal Printer	\$569.25
3126011263 Thermal printer paper	\$17.25
3126011281 Thermal printer paper (pack of 10)	\$155.25
1120014641 AIP Printer	\$753.25
3126014659 Printer Roll 57mm for AIP	\$23.00
3126014660 Printer Roll 57mm (pack of 10) for AIP	\$155.25
600002028 AdamDU - Data Collection Program	\$120.75
3074010266 RS-232 Cable	\$69.00
3074010507 RS-232 to USB Interface Cable (must be ordered with 3074010266 RS232 cable)	\$69.00

AE403 Washdown Indicator



Applications

- Weighing
- · Parts counting
- · Percentage weighing
- Checkweighing
- · Dynamic / animal weighing

Features

- Backlit display changes color for quick notification of checkweighing limits
- Capacity tracker built into display for easily monitoring possible overloads
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- · Rugged 304 stainless steel construction for ultimate durability
- RS-232 interface is available to provide speedy connection to computers and printers
- · Wall-mount bracket for placing indicator on vertical surface
- External calibration allows for verification and adjustment with weights
- Checkweighing with audible alarm
- Hold function freezes the displayed weight, allowing time to elapse without losing the result
- Parts counting with preset sample sizes
- Selectable digital filtering helps minimize effects of vibration and disturbances
- User-selectable scale division
- · Zero-tracking feature ensures display returns to zero reading
- IP67-rated for protection against water and dust
- Rechargeable battery included for operation almost anywhere
- Programmable auto power-off to save energy

Shipping weight & dimensions: 3.6kg 30 x 26 x 14cm

Model	Capacity	Readability	Pan Size	Price excl GST
AE 403	Selectable	Selectable	-	\$540.50

Accessories	Price excl GST
1120011156 ATP Adam Thermal Printer	\$569.25
3126011263 Thermal printer paper	\$17.25
3126011281 Thermal printer paper (pack of 10)	\$155.25
1120014641 AIP Printer	\$753.25
3126014659 Printer Roll 57mm for AIP	\$23.00
3126014660 Printer Roll 57mm (pack of 10) for AIP	\$155.25
3014012701 RS-232 Cable to PC	\$69.00
3074010507 RS-232 to USB adaptor	\$69.00
1100011297 Relay Box	\$247.25
600002028 Adam DU - Data Collection Program	\$120.75

AE 503 Label Printing Indicator



Applications

- Weighing
- Parts counting
- Percentage weighing
- Check counting
- Averaging
- Barcode / label printing

Features

- Built in printer to print weight, date, time, description etc...
- Vivid, backlit LCD easily visible in any lighting conditions
- Programmable backlight can be set to "always on," "always off" or "light only when weighing" • Color-coded keys facilitate quick recognition of the most frequently used buttons
- RS-232 interface is available to provide speedy connection to computers and printers
- · Rugged construction stands up to industrial use
- · Zero-tracking feature ensures display returns to zero reading
- Checkweighing with audible alarm and hold function
- External calibration allows for verification and adjustment with weights
- Quick and easy configuration using the keypad
- User-selectable scale division
- Rechargeable battery included for operation almost anywhere
- Programmable auto power-off to save energy
- Customise label information with software provided to include QR codes, date, time, net, gross, tare weights, etc.
- Fixed label size

Shipping Weight Indicator: 4kg Dims: 41 x 22 x 19cm

Shipping Weight Stand: 3kg Dims: 97 x 16 x 3cm

Model	Capacity	Readability	Pan Size	Price excl GST	Ī
AE 503	Selectable	Selectable	=	\$667.00	ì

Accessories	Price excl GST
3074010266 RS-232 cable (Null modem)	\$69.00
3074010507 RS-232 to USB adapter	\$69.00
600002028 Adam DU - Data Collection Program	\$120.75
2050013351 Indicator Stand	\$287.50
400005615 Labels - 800 per roll	\$40.25

AE504 Label Printing Counting Indicator



Applications

- Weighing
- · Parts counting
- · Percentage weighing
- · Check counting
- Averaging
- Barcode / label printing

Features

- Built in printer to print labels with weight, average piece weight, count, product description, date, time, and QR codes
- Vivid, backlit LCD easily visible in any lighting conditions
- Programmable backlight can be set to "always on," "always off" or "light only when weighing" • Color-coded keys facilitate quick recognition of the most frequently used buttons
- RS-232 interface is available to provide speedy connection to computers and printers
- Rugged construction stands up to industrial use
- · Zero-tracking feature ensures display returns to zero reading
- Parts counting optimization automatically refines piece weight as parts are added
- Quick and easy configuration using the keypad
- User-selectable scale division
- Rechargeable battery included for operation almost anywhere
- Programmable auto power-off to save energy
- Full keyboard for advanced counting and includes 1006 PLU memories
- · Customise label information with software provided
- Fixed label size

Shipping Weight Indicator: 4kg Dims: 41 x 22 x 19cm

Shipping Weight Stand: 3kg Dims: 97 x 16 x 3cm

Model	Capacity	Readability	Pan Size	Price excl GST
AE 504	Selectable	Selectable	-	\$753.25

Accessories	Price excl GST
3074010266 RS-232 cable (Null modem)	\$69.00
3074010507 RS-232 to USB adapter	\$69.00
600002028 Adam DU - Data Collection Program	\$120.75
2050013351 Indicator Stand	\$287.50
400005615 Labels - 800 per roll	\$40.25

Anti-Vibration Table



Applications

- Helps provide a stable surface and reduces vibrations, shock and outside influences effecting devices placed on the granite working surface.
- Designed for the laboratory or metrology room

Features

- Scratch resistant marble slab
- Large working surface of 400mm x 450mm
- Adjustable levelling feet for uneven surfaces
- Working surface around the vibration slab for resting samples
- Two table construction keeps the marble block in the middle and reduces interference

Shipping Weight: 67kg Dims: 87 x 68 x 30cm (shipped on a pallet)

	Price excl GST
104008036 Anti-Vibration Table	\$1,489.25

ATP Thermal Printer



Applications

General purpose printing

Features

- A general purpose thermal roll printer
- · Ideal for use with most balances and scales
- Designed to be efficient and compact
- Simple operation with an on/off switch, paper feed button and three LED indicators • Ideal for printing applications
- Dimensions: 114 mm x 184 mm x 90 mm
- Print size 24 x 24 dot
- · Column size 384 dots per line
- 57.5mm paper width

Snipping Weight: 1.66	okg Dims:	24 X 16	x 21cm
-----------------------	-----------	---------	--------

	Price excl GST
1120011156 ATP Adam Thermal Printer	\$569.25
3126011263 Thermal printer paper	\$17.25
3126011281 Thermal printer paper (pack of 10)	\$155.25

AIP Impact Printer



Applications

General purpose printing

Features

- Printer method: 8 pin shuttle impact dot matrix
- Supplied with RS-232 interface and USB port which allows for connection betweenprinter, computer and weighing device to update firmware and set parameters
- Auto-setting detection: Communication parameters can be automatically identified andset for quick configuration with devices
- Fast 1.7 lines/sec (approx) printing speed
- Printer digits: 24 digits / line or 40 digits / line, 5 x 7 dot matrix
- · Printer paper size: 57mm width, 50mm in diameter
- AC adapter included
- Rechargeable battery included for operation almost anywhere

Shipping Weight: 1.8kg Dims: 23 x 18 x 17cm

Price excl GS1	
AIP Printer \$753.25	
Printer Roll 57mm for AIP \$23.00	
Printer Roll 57mm (pack of 10) for AIP \$155.25	

Calibration Weights

OIML E1 Class Weights - Stainless Steel weights with box included	Price excl GST
E1 5g	\$270.25
E1 10g	\$304.75
E1 20g	\$356.50
E1 50g	\$408.25

OIML E2 Class Weights - Stainless Steel weights with box included	Price excl GST
E2 50g	\$120.75
E2 100g	\$149.50
E2 200g	\$184.00

OIML E2 Class Weight Set - Stainless Steel weights with box included	
E2 1mg to 200g	\$1,805.50
	1

Price excl GST
\$57.50
\$57.50
\$57.50
\$63.25
\$69.00
\$80.50
\$92.00
\$109.25
\$155.25
\$235.75
\$287.50
\$540.50

OIML F1 Class Weight Set - Stainless Steel weights with box included	Price excl GST	
F1 1mg - 200g	\$753.25	
F1 1g - 2kg	\$1,385.75	
OIML M1 Class Weights - Chromed Steel weights with box included	Price excl GST	
M1 1g	\$46.00	
M1 2g	\$46.00	
M1 5g	\$46.00	
M1 10g	\$51.75	
M1 20g	\$51.75	
M1 50g	\$57.50	
M1 100g	\$57.50	
M1 200g	\$63.25	
M1 500g	\$97.75	
M1 1kg	\$143.75	
M1 2kg	\$184.00	
M1 5kg	\$396.75	
OIML M1 Class Weight Set - Chromed Steel weights with box included	Price excl GST	
M1 1g - 200g	\$414.00	
M1 1g - 2kg	\$879.75	

All Prices exclude shipping and GST and subject to our terms and conditions

Ordering Information:

Purchase orders may be sent to:

Mail: Adam Equipment (SE Asia) Pty Ltd

70 Miguel Road, Bibra Lake, WA, 6163, Australia

Tel: +61 8 6461 6236

Email: sales@adamequipment.com.au

All sales are subject to Adam's standard terms and conditions of sale

Warranties

The below warranty periods are standard for all products from Adam Equipment. Product found to be defective will either be replaced, or at Adam's option, repaired during the warranty period at no charge provided that the product is returned freight paid to Adam in Perth, Western Australia. Adam Equipment warrants its products from manufacturing defects in materials or workmanship from the date of delivery. If the product is covered under warranty, Adam will be responsible for the return freight costs, if not covered under warranty then freight is to be paid by the customer both ways.

Model	Warranty Period
ABW	2 year
AE403	1 year
AE503	1 year
AE504	1 year
AELP Pallet Beams	1 year
AIP	1 year
ABW	2 years
Astro	1 year
АТР	1 year
AZextra	2 years
вст	2 years
вкт	2 years
СВ	1 year

CBX	1 years
сст	2 years
скт	2 years
CPWplus (all models)	1 year
сат	2 years
DCT	1 year
GBK & GBK-M	2 years
GC	2 years
GFC	2 years
GFK & GFK-M	2 years
GK & GK-M	2 years
Gladiator	2 years
нсв	2 years
IHS	1 year
LBX	2 years
LHS	1 year
Luna	3 years
MDW	1 year
мтв	1 year
MUW	1 year
NBL	3 years
РМВ	3 years
PT Platforms	1 year
PTSplus Pallet Truck Scale	1 year
PTT Pallet Truck Scale	1 year
shs	1 year
Solis	3 years
TBB 2610S & TBB 2610T	3 years
WBW-M	2 years

Full warranty information is available in our standard terms and conditions of sale.